



TQB Brands Pty Ltd

MADE FOR THE TRADE

PRICED PRODUCT GUIDE

Established 1984
Trusted by Australia's
trade for more than
40 YEARS

VALID THROUGH TO
SEPTEMBER 30 2026

WORKSHOP EQUIPMENT

For full product specifications go to www.tqbbrands.com.au

ELECTRIC WORKSHOP PRESS 30,000KG

EPROP30TE

Safe working capacity: 30,000kg
Working range: 25-850mm
Power Unit: 240v, 10A Plug
Screw adjustment: 75mm
Ram diameter: 58mm
Bed height settings: 6
Bed: Outside 164mm, Inside 148mm, Width 600mm
1800H x 1080W x 505Dmm
Weight: 163kg

\$3,399.00 EXC GST
\$3,738.90 INC GST

ELECTRIC WORKSHOP PRESS 50,000KG

EPROP50TE

Safe working capacity: 50,000kg
Working range: 80-780mm
Power Unit: 240v, 10A Plug
Screw adjustment: 75mm
Ram diameter: 68mm
Bed height settings: 6
Bed: Outside 220mm, Inside 200mm, Width 750mm
1900H x 1240W x 535Dmm
Weight: 243kg

\$4,599.00 EXC GST
\$5,058.90 INC GST



NEW ARRIVAL

6 HEIGHT SETTINGS

TQ PRO
Trusted by serious professionals

BONUS
12 MONTH PARTS ONLY WARRANTY ON HYDRAULIC RAM & HYDRAULIC PUMP IN ADDITION TO STANDARD 12 MONTH WARRANTY***

INCLUDES PRESS ADAPTOR KIT & SAFETY BARRIER



FEATURES & BENEFITS
Heavy-duty high-grade steel H-frame. 100mm pressure gauge. Integrated overload protection valve. Electric foot & hand operated pump. Lead free paint finish is oil, grease and dirt-resistant for easy cleanup. Piston-ram is fitted with backup ring, preventing bypass oil drift. High quality hydraulic oil offers better corrosion resistance and flexibility. Polycarbonate safety guard included. Pair of bed plates included.

LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals

Professional Reputable Outstanding

Transmission Lifter SUV / 4x4 & Light Commercial

2063T **TRADEQUIP**
the trusted brand in equipment

Safe working capacity:

RWD/FWD/AWD/4X4 GVM <3,200KG

Rated capacity: 1,000kg

Working height: 940-1920mm


Lifting platform min size: 160 x 145mm

Lifting platform max size: 475 x 465mm

Tilt: Fwd 11° Rwd 11° Left 9° Right 11°

Weight: 82kg

MADE FOR THE TRADE



4 way tilt action



TradeQuip vs TQ Pro Transmission Lifter Comparison

Maximum height: 1920mm

PREMIUM SADDLE UPGRADE



Wide wheel stability



Foot-operated quicklift pump

\$1,285.00 EXC GST
\$1,413.50 INC GST

WARNING

INTENDED USE: Removal & Installation of Transmissions

NOT INTENDED FOR: Supporting Loads i.e. Fuel Tanks, Suspension Work, BullBar Installations

Transmission Lifter SUV / 4x4 & Light Commercial

PROTL1000

Safe working capacity:
RWD/FWD/AWD GVM <3,500KG
Rated capacity: 1,000kg
Working height: 940-1940mm
Ram travel 1st stage: 490mm
Ram travel 2nd stage: 510mm
Lifting platform min size: 160 x 145mm
Lifting platform max size: 475 x 465mm
Tilt: Fwd 11° Rwd 11° Left 9° Right 11°
Base: 610 x 740mm
Weight: 76.5kg



Professional Reputable Outstanding



4 way tilt action



Foot operated quicklift pump



FEATURES

Piston-ram treated and polished to minimise wear and extend Service life.
Premium quality (Doubled) O-rings with anti-dust ring.
Rapid lift without load.
Slow descent with load.
Overload safety valve.
Aviation grade hydraulic fluid
Premium swivel castors

\$1,835.00 EXC GST
\$2,018.50 INC GST

Transmission Saddle Upgrade PROTSUNI

Fits following TQB Brands models: PROTL1000; PROTL500; 2063T; 2022T
Transmission Lifter Shown in images sold separately
Rated maximum capacity: 1,000kg (See your transmission lifter's capacity)
Lifting platform size: 160x145mm (475x465mm Max.)
Forward tilt: 11°
Rearward tilt: 11°
Left tilt: 9°
Right tilt: 11°
Weight: 19kg



TRANSMISSION LIFTER SHOWN IN IMAGES SOLD SEPARATELY



FEATURES

The saddle frame is constructed of superior-grade steel and built to premium standards for professional quality and durability.
The enlarged threaded rods paired with cantilevered handles allow for faster adjustments over standard saddle design resulting in higher efficiencies.
The four ratcheting securing pins are easily and quickly adjustable making transmission lifting safer & more secure.
Two tie-down straps included to safely secure the transmission to the saddle.
Four rounded tie-down points and holes in securing pins allow for added level of customisation to secure the load.
One removable saddle pin allows for accommodation of longer gearboxes.
Compatible with and for use on selected TQB Brands Transmission Lifters Only.



Underhoist Auxiliary Stand 680KG

1198T **TRADEQUIP**
The trusted brand in equipment
Safe working capacity: 680kg
Height: 1370-2045mm
Base diameter: 300mm
Weight: 16.5kg



MADE FOR THE TRADE

FEATURES

Fast and safe technology for professional mechanics.
Heavy gauge steel frame prevents distortion or twisting.
Provides partial support for components - NOT designed to support the vehicle.
Foot pedal allows easy load movement and hand free operation.
Quick action adjustable height mechanism. Sold individually recommended only to be used individually.

\$199.00 EXC GST
\$218.90 INC GST

Hands free foot pedal operation

680kg Capacity



WARNING INTENDED USE: Removal & Installation of Transmissions
NOT INTENDED FOR: Supporting Loads i.e. Fuel Tanks, Suspension Work, BullBar Installations

Transmission Lifter Passenger Vehicles

2059T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: RWD/FWD GVM <2,000KG
Rated capacity: 500kg
Working height: 820-1768mm
Forward tilt: 9° Rearward tilt: 17°
Weight: 52kg



\$819.00 EXC GST
\$900.90 INC GST



Transmission Lifter Passenger Vehicles

2022T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: RWD/FWD/AWD GVM <2,300KG
Rated capacity: 500kg
Working height: 895-1875mm
Cradle size: 240 x 340mm
Tilt Angle: Left 7° Right 15°
Weight: 73kg



FEATURES
High-grade steel for quality and durability. Lead-free paint prevents rust and is oil, grease and dirt-resistant for easy cleanup. Universal mounting cradle provides wide fore & aft tilt. High quality large diam. hydraulic steel cylinder unit. Piston-ram treated & polished to extend service life.

\$789.00 EXC GST
\$867.90 INC GST



Transmission Lifter Passenger Vehicles

2052 **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: RWD/FWD/AWD GVM <2,500KG
Rated capacity: 500kg
Working height: 855-1760mm
Cradle size: 276 x 360mm
2 Stage lift
4 way tilting working head
Tilt: Fwd 15° Rwd 7° Lat 7°
Base: 690 x 780mm
Weight: 61kg

FEATURES
High-grade steel for quality and durability. Lead-free paint prevents rust and is oil, grease and dirt-resistant for easy cleanup. Universal mounting cradle provides wide fore & aft tilt. High quality large diam. hydraulic steel cylinder unit. Piston-ram treated & polished to extend service life.



\$965.00 EXC GST
\$1,061.50 INC GST

Transmission Lifter Passenger Vehicles

PROTL500

Safe working capacity: RWD/FWD/AWD GVM <2,500KG
Rated capacity: 500kg
Working height: 940-1940mm
Ram travel 1st stage: 490mm
Ram travel 2nd stage: 510mm
Lifting platform min size: 160 x 145mm
Lifting platform max size: 475 x 465mm
Tilt: Fwd 11° Rwd 11° Left 9° Right 11°
Base: 610 x 740mm
Weight: 65kg



LATEST APPLIED TECHNOLOGIES
TQ Pro
Trusted by serious professionals

Professional Reputable Outstanding



FEATURES
Piston-ram treated and polished to minimise wear and extend Service life. Premium quality (Doubled) O-rings with anti-dust ring. Rapid lift without load. Slow descent with load. Overload safety valve. Aviation grade hydraulic fluid. Premium swivel castors



\$1,299.00 EXC GST
\$1,428.90 INC GST

WARNING INTENDED USE: Removal & Installation of Transmissions
NOT INTENDED FOR: Supporting Loads i.e. Fuel Tanks, Suspension Work, BullBar Installations

Auxiliary Lifter 500KG

2058T **TRADEQUIP**
The trusted brand in equipment

Rated capacity: 500kg
Working height: 1175-1985 mm
Lifting platform size:
A: 362 x 362mm
B: Φ 107.5mm

FEATURES

This TradeQuip "Made for the Trade" 500kg Auxiliary Lifter is the perfect underhoist aid during removal and installation of small components. It features a mounting cradle and lift pad and a manually operated hydraulic system with smooth hydraulic lift and descent. The hydraulic system also includes a bypass system to prevent over extension and accidental overloading.

MADE FOR THE TRADE

500kg Capacity

\$489.00 EXC GST
\$537.90 INC GST

NOT INTENDED FOR SUPPORTING LOADS AND NOT INTENDED AS A STAND ALONE TRANSMISSION LIFTER



MADE FOR THE TRADE

Auxiliary Lifter Kit 500KG

2068T **TRADEQUIP**
The trusted brand in equipment

Rated capacity: 500kg
Working height: 1175-1985 mm
Lifting platform size:
A: 362 x 362mm
B: Φ 107.5mm
C: 812 X 352mm

500kg Capacity

\$679.00 EXC GST
\$746.90 INC GST

NOT INTENDED FOR SUPPORTING LOADS AND NOT INTENDED AS A STAND ALONE TRANSMISSION LIFTER



Transmission Lifter Commercial Vehicles

BHDTJ2 **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 2,000kg
Working height: 210-900mm
Cradle size: min. 385-470mm
Cradle size: max. 570-470mm
Adjustable tilt cradle
Cradle forward tilt: 30°
Cradle backward tilt: 30°
Swivel castors: 100mm
Chassis: 1160L x 685Wmm
Weight: 130kg

FEATURES

The adjustable cradle can be tilted forward or backward for optimum alignment of transmission bolt patterns and pins. Hydraulic system is protected from overload damage. Safety load-restraint for raising & lowering safety. Rugged steel wheels & full swivel ball bearing castors. User-friendly 360° rotating pumping handle.

\$2,199.00 EXC GST
\$2,418.50 INC GST

INDUSTRIAL QUALITY

900mm maximum lift height



Transmission Lifter SUV / 4x4 & Light Commercial

2057T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: RWD/FWD/AWD/4X4 GVM <3,500KG
Rated capacity: 1,000kg
Working height: 205-725mm
Cradle size: 340 x 200mm

Tilt: Fwd 70° Rwd 15°
Cradle lateral adjustment: 90mm
Chassis: 850L x 490W x 305Hmm
Weight: 54kg

MADE FOR THE TRADE

FEATURES

Adjustable head (forward & backward). Lateral cradle adjustment. Hydraulic system overload protection. Four (4) swivel castors allow easy movement and positioning of transmission jack. Rugged heavy duty steel wheels with full swivel ball bearing castors. User-friendly 360° rotating pump handle.

\$855.00 EXC GST
\$940.50 INC GST

360° rotating handle



Large adjustable cradle size

360° rotating handle

TQ PRO
LATEST APPLIED TECHNOLOGIES

Trusted by serious professionals

Air/Hydraulic Powertrain & Battery Lifter

P07-0220

Safe working capacity: 1,100kg
 Air/Hydraulic pump: 5800psi
 Control cable length: 2438mm
 Lift table size: 762 mm x 1,524 mm
 Lift table extended size:
 762 mm x 1,828 mm
 Overall length: 1,682.7 mm
 Overall width: 774.7 mm
 Lift table Fore/Aft tilt: 2 degrees
 Lift table hole size: 3/8-16 unc
 Low height: 586.74mm
 Max lifting height with adapters:
 2141.22 mm
 Caster wheel diameter: 203.2 mm
 Handle length: 863.6 mm
 Weight: 377kg

SPECIAL INTRODUCTORY OFFER


\$4,499.00 EXC GST
\$4,948.90 INC GST

NEW ARRIVAL



1,100kg Capacity

Professional Reputable Outstanding



FEATURES

- AIR/HYDRAULIC OPERATED LIFT.** Handles heavy engine and transmission assemblies, fuel tanks, drive axle assemblies, electric vehicle batteries and more.
- EASY LIFT.** Raise or lower the table with the push of a button on the Coded Pendant.
- LARGE TABLE.** Tabletop measures 762mm Wide by 1524mm Long and can extend 300mm providing a max length of 1828mm.
- MULTI-POSITION HANDLE.** 3 Position Handle for storage, maneuverability, and work.
- SAFETY LOCK.** Integrated Auto Safety Lock function provides fail-safe support to table.
- SMOOTH SWIVEL CASTERS.** 4 Polyurethane Tread Locking Swivel Caster Wheels – Two are directional for Steering or Side to Side Movement.
- VERSATILE USE.** Tabletop includes a 100mm hole grid pattern & holes are 3/8-16 UNC for numerous adapter kit positions.

TOO NEW TO PHOTOGRAPH. VISIT WWW.TQBBrands.COM.AU FOR UPDATED IMAGES AND MORE SPECS.

Scissor Lift Workshop Trolley 225KG

6010T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 225kg
Working height: 225mm-710mm
Table size: 708L x 450Wmm

\$459.00 EXC GST
\$504.90 INC GST

MADE FOR THE TRADE

FEATURES
Foot-operated hydraulic pedal keeps your hands free.
Quick release hand lever for easy controlled release.
Heavy duty oil-resistant nonslip mat.
Powder coated all steel construction.
Perfect for moving parts to vehicles.



Scissor Lift Workshop Trolley 450KG

6003T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 450kg
Working height: 280-875mm
Table size: 500 x 810mm
Wheel Diameter: 125mm
Dimensions: 1140L x 515W x 995Hmm

FEATURES
Foot-operated hydraulic pedal keeps your hands free.
Quick release hand lever.
Heavy duty oil-resistant nonslip mat.
Powder coated all steel construction.
Perfect for moving heavy parts to vehicles.



\$929.00 EXC GST
\$1,021.90 INC GST

MADE FOR THE TRADE

FOLDABLE HANDLE

Scissor Lift Workshop Trolley 500KG

6009T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 500kg
Working height: 265mm-865mm
Table size: 820L x 520Wmm

\$829.00 EXC GST
\$911.90 INC GST

MADE FOR THE TRADE

FEATURES
Foot-operated hydraulic pedal keeps your hands free.
Quick release hand lever for easy controlled release.
Heavy duty oil-resistant nonslip mat.
Powder coated all steel construction.
Perfect for moving parts to vehicles.



Scissor Lift Workshop Trolley 500KG

6007T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 500kg
Working height: 440-1575mm
Table size: 1010L x 520Wmm
Wheel diameter: 150mm
Dimensions: 1130L x 520W x 1260Hmm

FEATURES
Double Scissor High Lift.
Foot-operated hydraulic pedal keeps your hands free.
Quick release hand lever for easy controlled hydraulic release.
2 locking heavy duty swivel castors.
All steel construction.
Powder coated for extra protection.
Perfect for moving heavy parts to and from the vehicle.

MADE FOR THE TRADE



\$1,699.00 EXC GST
\$1,868.90 INC GST

Scissor Lift Workshop Trolley 300KG

6008T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 300kg
Working height: 350mm-1285mm
Table size: 820L x 520Wmm

\$1,049.00 EXC GST
\$1,153.90 INC GST

MADE FOR THE TRADE

DOUBLE SCISSOR HIGH LIFT

FEATURES
Foot-operated hydraulic pedal keeps your hands free.
Heavy duty oil-resistant nonslip mat.
Powder coated all steel construction.
Perfect for moving parts to vehicles.





1,200kg Capacity

MEETS AUSTRALIAN STANDARD AS1418:5

1565mm

1690mm

1028mm

FOLDING STABILISER ARMS

DUAL ACTION HIGH SPEED RAM

\$559.00 EXC GST
\$614.90 INC GST

1200KG 750KG 500KG 250KG

Foldable Engine Crane 1,200KG


1001T TRADEQUIP
The trusted brand in equipment

Safe working max. capacity: 1200kg (AS1418.5 approved)
Adjustable boom: 250kg, 500kg, 750kg & 1200kg
Max. lifting height @ 1200kg: 620mm
Max. lifting height @ 250kg: 1160mm
Jib length fully retracted @ 1200kg: 1040mm
Jib length fully extended @ 250kg: 1580mm
Leg height: 190mm
Weight: 85kg

MADE FOR THE TRADE

FEATURES

Ideal for automotive & light engineering.
Adjustable boom in four positions.
Outrigger legs easily fold up for storage.
Six swivel castor wheels.
High-grade steel and built to exacting standards for quality and durability.
Short lifting chain & hook with safety latch.
Lead-free paint is oil, grease and dirt-resistant for easy cleanup.



Engine Support Bar

1019T TRADEQUIP
The trusted brand in equipment

Safe working capacity: 500kg
Extension: 1020 - 1600mm
Weight: 15kg

FEATURES

Adjusts to fit across most car bonnets.
Supports engines or transmissions.
Powder coat finish.
Adjustment screw for load levelling.
Supplied with short length of chain.



500kg Capacity

Adjustable Extension Arms

\$178.00 EXC GST
\$195.80 INC GST

MADE FOR THE TRADE

Engine Support Bar

1021T TRADEQUIP
The trusted brand in equipment

Safe working capacity: 500kg
Extension: 1020 - 1630mm
Weight: 23kg

FEATURES

Cross bar feature for improved stability and more flexibility.
Dual hook assemblies for balanced support of engines & transmissions.
High gloss enamel finish.
Adjustment screw for leveling.



500kg Capacity

DUAL HOOK

Adjustable Extension Arms

\$255.00 EXC GST
\$280.50 INC GST

MADE FOR THE TRADE

Ram to Suit Tradequip 1001T Engine Crane

2008 TRADEQUIP
The trusted brand in equipment

Safe working capacity: 1,200kg
Rated capacity: 8,000kg
Length: 630-1135mm
Ram pin hole: 16mm dia. 35mm Outside ram
Ram diameter: 80mm
Clevis base pin hole: 16mm dia
Clevis base: 25mm inside - 45mm outside
Base width: 129mm
Weight: 10.5kg

MADE FOR THE TRADE

Engine Crane Load Leveller

1030 TRADEQUIP
The trusted brand in equipment

Safe working capacity: 680kg
Chain length: 300mm
Chain anchor positions: 3
Engine mount positions: 4
Weight: 6kg



Engine Support Bar

1020T TRADEQUIP
The trusted brand in equipment

Safe working capacity: 500kg
Extension: 1020- 1430mm
Weight: 19kg

FEATURES

Dual hook assemblies for balanced support.
Adjustable to fit across most car bonnets.
Supports engines or transmissions.
Rubber cushioned support legs.
High gloss enamel finish.
Adjustment screw for load leveling.
Supplied with a short length of chain.



500kg Capacity

DUAL HOOK

Adjustable Extension Arms

\$199.00 EXC GST
\$218.90 INC GST

MADE FOR THE TRADE



Engine Crane 3,000KG
1193 TRADEQUIP
The trusted brand in equipment

Safe working capacity: 3000kg
 Adjustable boom: 1000kg, 1500kg, 2000kg & 3000kg
 Maximum lifting height @ 3000kg: 1745mm
 Maximum lifting height @ 1000kg: 2088mm
 Jib length fully retracted @ 3000kg: 1100mm
 Jib length fully extended @ 1000kg: 1730mm
 Leg height 190mm
 Weight: 121.5kg

MADE FOR THE TRADE

4 position adjustable boom

Heavy duty hydraulic pump

3,000kg Capacity

Heavy Duty Castor Wheels

1540mm

1470-2385mm

785-875mm

\$1,299.00 EXC GST
\$1,428.90 INC GST

HEAVY DUTY

FEATURES
 This heavy duty TradeQuip "Made for the Trade" engine crane has a long stroke lifting ram, a single action pump with a maximum load capacity of 3,000kg.
 Very simple to use manual hydraulic operation. The jib extends to the desired lifting capacity of 1000kg, 2000kg or 3000kg secured by a single locking pin.
 Mounted on heavy duty castor wheels for excellent manoeuvrability around the workshop.



Engine Stand
TQ06-0200 TRADEQUIP
The trusted brand in equipment

Safe working capacity: 4/5/6/V6/V8
 Cylinder less than 5ltr
 Rated capacity: 680kg
 6 Locking positions
 360° rotating head
 885L x 490W x 190H mm
 Weight: 31.4kg

MADE FOR THE TRADE

360° rotating head

FOLDING LEGS HEAVY GAUGE STEEL CONSTRUCTION

NEW ARRIVAL

\$276.00 EXC GST
\$303.60 INC GST



Engine Stand
1894T TRADEQUIP
The trusted brand in equipment

Safe Working Capacity: 4/5/6/V6 cylinder less than 4ltr
 Rated capacity: 500kg
 360° rotating head
 1190L x 850W x 1230H mm
 Weight: 54kg

WORM GEAR HEAD DRIVE STURDY REINFORCED NECK

IMPORTANT: ENGINE DIMENSIONS MUST BE WITHIN LEGS OF ALL ENGINE STANDS

360° rotating head

\$825.00 EXC GST
\$907.50 INC GST

MADE FOR THE TRADE



Engine Stand
1891T TRADEQUIP
The trusted brand in equipment

Safe working capacity: 4 cylinder & V6/V8 less than 5ltr
 Rated capacity: 680kg
 360° rotating head
 Centre height: 895mm
 870L x 800W x 900H mm
 Weight: 39kg

MADE FOR THE TRADE

360° rotating head

Removable legs

MODEL RUNOUT

\$276.00 EXC GST
\$303.60 INC GST



Engine Stand
E06-0010

Safe working capacity: 4 cyl. engine only
 Rated capacity: 450kg
 360° rotating head
 Centre height: 780mm
 700L x 750W x 860H mm
 Weight: 21kg

NEW ARRIVAL

360° rotating head

\$159.00 EXC GST
\$174.90 INC GST

eQuip
 TOOLS & EQUIPMENT
 Designed to DELIVER



Engine Stand
1192T TRADEQUIP
The trusted brand in equipment

Safe working capacity: 4/5/6/V6/V8
 Cylinder less than 6.2ltr
 Rated capacity: 900kg
 360° rotating head
 Centre height: 800mm
 1110L x 530W x 900H mm
 Weight: 45kg

MADE FOR THE TRADE

360° rotating head

Foldable legs

\$345.00 EXC GST
\$379.50 INC GST

FOLDING LEGS STURDY REINFORCED NECK AND STABLE WIDE BASE



ALL TRADEQUIP ENGINE STANDS ARE INTENDED FOR PASSENGER AND LIGHT COMMERCIAL VEHICLES ONLY

Car and 4WD Jack Stands



FEATURES

Constructed of high-grade steel & built to exacting standards for quality & durability. Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup. Quick action adjustable height mechanism. Double-lock safety pin design for extra safety and security. (1128T & 1148T). Welded steel frame & cast iron support. Adjustable height. Reinforced shaft for added strength stability. Sold in pairs and only recommended to be used in pairs.



Code	1128T	1148T	1162T
Load limit	2,000kg	4,000kg	8,000kg
Min. Height	285-428mm	395-605mm	468-715mm
Base Area	206x186mm	287x252mm	324x294mm
Excl. GST	\$105	\$181	\$309
Incl. GST	\$115.50	\$199.10	\$339.90

from
\$105.00 EXC GST
\$115.50 INC GST
Sold in Pairs

Quick Action Adjustable Height

4,000kg Capacity

8,000kg Capacity

2,000kg Capacity

MADE FOR THE TRADE

Garage Jack 3,000KG Low Profile



Working load limit: 3,000kg
 Height: 118 - 488mm
 Handle length: 1400mm
 Front wheels: 90mm dia 40mm width
 Rear castors: 60mm dia 25mm width
 Saddle diameter: 115mm
 Dimensions: 670L x 380W x 170Hmm
 Weight: 43kg

FEATURES

Low profile and deep reach. Heavy gauge steel construction. 1400mm long handle for deeper reach. Quick Lift Dual Pump technology. Internal bypass valve overload protection. Lead-free paint finish to ensure a long-lasting finish and prevent rust. Paint is oil, grease and dirt-resistant. Protective foam handle cover prevents vehicle damage.

HIGH LIFT - LOW PROFILE AND DEEP REACH

118mm min. lift height

3,000kg Capacity

MADE FOR THE TRADE

\$519.00 EXC GST
\$570.90 INC GST

Protective foam handle cover

Dual pump lift technology

Wheel Dollies 1360KG (Pair)



Safe working capacity: 680kg per Dolly
 Total capacity is 1360kg for the set of 2
 Platform dimension: 400 x 300mm
 Castors: 75mm Diameter
 2 x standard castors
 2 x castors with locking brakes

FEATURES

Easily move cars backwards, forwards & sideways. Durable Heavy duty steel construction for strength. Heavy duty swivel castors for great manoeuvrability. Platform features a grooved, tread plate surface that can handle up to a 680kg load. Durable steel deck with tough powder-coat finish to help resist scratches and rust. Sold as a pair.

\$159.00 EXC GST
\$174.90 INC GST
pair

MADE FOR THE TRADE

Ratcheting Positioning Jacks



Safe working capacity: 680kg each
 Max. distance between rollers: 710mm
 Min. distance between rollers: 340mm
 Suits tyres up to: 280mm (W)
 Swivel castors: 100mm

FEATURES

Steel construction with metal rollers. Heavy duty nylon swivel castors. Easy foot-pedal lifting design. 2 jacks permit full 180° vehicle pivot. 4 jacks place vehicle on a 360° rolling platform. Lead-free paint finish helps prevent rust and is oil, grease and dirt-resistant for easy cleanup. Quick action adjustable height mechanism. Sold & recommended only to be used in pairs.

MADE FOR THE TRADE

Heavy duty nylon swivel castors

Easy foot pedal lift

\$469.00 EXC GST
\$515.90 INC GST
pair

Vehicle Positioning Rack



1054T Storage capacity: 1 on ground, up to 3 vertically
 Distance between spigots: 170mm
 Overall footprint: 605 x 130 x 145mm
 Weight: 2.4kg

MADE FOR THE TRADE

FEATURES

Steel Construction with metal chocks to lock rollers into place. Rack is designed to connect to 1 x 1054T & can have up to 3 x 1054T stored vertically. Heavy duty locking pin secures rack to 1054T Vehicle Positioning Jack. Lead-free paint prevents rust & is oil, grease and dirt-resistant for easy cleanup. Sold separately and only to be used on TradeQuip 1054T Vehicle Positioning Jacks.

\$85.00 EXC GST
\$93.50 INC GST

Low Profile Foldable Creeper 150KG

E18-0150

Safe working capacity: 150kg
 Castors: 6 x swivel castors
 1070L x 550W x 130Hmm
 Weight: 9.2kg



\$189.00 EXC GST
\$207.90 INC GST

NEW ARRIVAL

eQuipt
 TOOLS & EQUIPMENT Designed to DELIVER

FEATURES
 Oil and solvent resistant.
 Easy to clean finish.
 Won't rust.
 Padded headrest.

Heavy Duty Wide-Track Creeper 180KG

E18-0160

Safe working capacity: 180kg
 Castors: 4 x 5" swivel castors
 1105L x 515W x 150Hmm
 Weight: 9kg



Wide vinyl cushion
 Padded head, neck and lumbar support

\$219.00 EXC GST
\$240.90 INC GST

NEW ARRIVAL

eQuipt
 TOOLS & EQUIPMENT Designed to DELIVER

3 in 1 Creeper Seat 150KG

TQ18-0210 **TRADEQUIP**

Safe working capacity: 150kg
 Castors: 6 x swivel castors
 1040L x 680W x 130Hmm
 Weight: 12kg

Low-profile for better clearance
 Thick padded seat & backrest
 Folds to creeper, seat or mid-position



\$219.00 EXC GST
\$240.90 INC GST

NEW ARRIVAL

Mechanics Creeper 130KG

1023T **TRADEQUIP**

Safe working capacity: 130kg
 1010L x 475W x 115Hmm

\$92.00 EXC GST
\$101.20 INC GST

FEATURES
 The creeper body is manufactured to "Made for the Trade" quality using a high-impact polymer material that resists impacts, won't rust and is easy to clean. Comfortable padded headrest this low-profile creeper is one of the lightest and most durable available.




Convenient tool trays on each side

MADE FOR THE TRADE

Wheel Tyre Trolley 160KG

TQ07-0190 **TRADEQUIP**

Safe working capacity: 160kg
 Max. load height: 130cm
 Max. tyre diameter: 42-80cm
 1125L x 495W x 205Hmm
 Weight: 27kg



MADE FOR THE TRADE

NEW ARRIVAL

\$449.00 EXC GST
\$493.90 INC GST



Wheel Tyre Lifter

1055T **TRADEQUIP**

Safe working capacity: 50kg
 Rollers moving distance: 125mm
 Roller diameter & length: (D) 76.2 x 240mm
 Rollers push force: <4kg based on 50kg load
 Lifting handle force: 1kg based on 50kg load
 Overall height: 1380mm
 Overall base dimensions: 725W x 872D mm
 Roller working range: 100mm to 1060mm
 Front castors: 2(D) 75 x 24mm
 Rear castor - Locking: 2(D) 75 x 24mm
 Weight: 51.25kg

The lifters drive screw can be activated by an air or battery-operated ratchet wrench from the top of the unit.

**TRULY MOBILE...
 NO ADDITIONAL AIR LINE
 OR CHARGING CABLES
 NEEDED**

MADE FOR THE TRADE

FEATURES
 Braked Swivel Castor.
 Sturdy Frame to safely transport wheel around workshop.
 Adjustable Safety Brace.



Nut & bolt storage tray

1380mm

Fully adjustable rollers

50kg Capacity

Braked swivel castors

\$1,088.00 EXC GST
\$1,196.80 INC GST

WORK HIGHER WORK SMARTER WORK SAFER

Topside Creeper 160KG

MADE FOR THE TRADE

TQ18-0300 **TRADEQUIP**
the trusted brand in equipment

Safe Working Capacity: 160kg
Working Range: 1210mm to 1700mm
6 x 3" Castors

The TradeQuip Topside Creeper is engineered to provide safe, stable and ergonomic access to high engine bays and elevated work areas. Designed for professional workshops servicing modern 4WDs, vans and light trucks, it improves technician efficiency while reducing fatigue and strain.

**NEW
ARRIVAL**

WHY CHOOSE TRADEQUIP?
Designed for professional automotive workshops. Improves technician safety and ergonomics. Increases efficiency on elevated vehicle servicing. Built to withstand demanding daily use.

THE RESULT?
Faster job completion. Reduced technician fatigue. Safer workshop operations.

**160kg
Capacity**



Visit our webpage
www.tqbbrands.com.au
for more specifications
and images



FEATURES & BENEFITS

Adjustable working height platform suitable for high-clearance vehicles. Provides safe, comfortable access to engine bays of 4WDs, light trucks and commercial vehicles.
Load tested to 125% of Safe Working Capacity.
Heavy-Duty steel frame with 6 castors designed for workshop environments.
Delivers long-term durability under daily professional use, maintaining stability and structural integrity over time.
Generously padded leaning surface.Reduces lower back, shoulder and rib strain during extended jobs, increasing technician comfort and productivity.
Smooth-rolling industrial castors with locking mechanism. Allows easy positioning around the vehicle while providing secure, stable footing once locked in place.

**SPECIAL
INTRODUCTORY
OFFER**

\$319.00 EXC GST
\$350.90 INC GST

Pre-Order
ETA
JUNE 2026

TOO NEW TO PHOTOGRAPH. VISIT WWW.TQBBrands.COM.AU FOR UPDATED IMAGES AND MORE SPECS.

BORUM INDUSTRIAL SERIES DUAL-POSITION BOTTLE JACKS



Built for workshops that don't stop and jobs that don't wait.

We're proud to launch the new **BORUM Industrial Series Dual-Position Bottle Jacks** - engineered to operate both **vertically and horizontally** without compromising performance, stability or lifting power.

Designed for heavy vehicle workshops, transport fleets, agricultural operators and industrial maintenance environments, this range delivers the flexibility today's technicians demand. Whether you're lifting conventionally under chassis rails or working in confined spaces where a horizontal lift is required, these jacks are built to adapt - not fail.

This is not a light-duty workaround. It's a purpose-built industrial solution developed to increase versatility, reduce equipment limitations and keep productivity high in demanding environments.

When the job requires strength, adaptability and uncompromising reliability — the new **BORUM Industrial Dual-Position Bottle Jack** range is ready.

Lift smarter. Lift anywhere. Lift with confidence.

BR02-0110

BR02-0130



BR02-0100

BR02-0120



OPERATES
VERTICALLY AND
HORIZONTALLY

from

\$269.00 EXC GST
\$295.90 INC GST



FEATURES & BENEFITS

- Dual-orientation capability** – Reliable performance in both vertical and horizontal positions.
- Industrial-grade construction** – Reinforced steel body for maximum durability.
- Precision hydraulic control** – Smooth, controlled lifting under load.
- Compact, space-efficient design** – Ideal for tight access areas.
- Workshop-ready reliability** – Designed for daily professional use.

Code	BR02-0100	BR02-0110	BR02-0120	BR02-0130
Load limit	20,000kg	20,000kg	30,000kg	50,000kg
Height	183 - 305mm	270 - 420mm	280 - 445mm	300 - 482mm
Ex GST	\$269	\$269	\$339	\$589
Inc GST	\$295.90	\$295.90	\$372.90	\$647.90

MADE FOR THE TRADE

TRADEQUIP
The trusted brand in equipment

HEAVY DUTY One Piece Ergonomic Handle

from
\$109.00 EXC GST
\$119.90 INC GST

YouTube

Scan code for online product maintenance demonstration

FEATURES
 Machined and polished cylinders with die-cut threads provide non-abrasive leak-free, durable performance. Fabricated from hard-cast steel with heat-treated critical stress areas. Unique cross-type forged release valve ensures positive load control. Overload protection Hydraulic system is protected from internal damage by a by-pass mechanism. High quality glide-action pressure pump. Supplied with 500mm pump handle.

Code	2012	2013	2014	2015	2016
Capacity	10,000kg	15,000kg	20,000kg	12,000kg	20,000kg
Hydraulic Lift	125mm	125mm	145mm	85mm	115mm
Adjustable Height	70mm	70mm	60mm	50mm	75mm
Min. Height	205mm	227mm	245mm	180mm	200mm
Max. Height	400mm	447mm	450mm	315mm	390mm
Base Area	124x124mm	148x136mm	167x156mm	157x134mm	167x156mm
Excl. GST	\$109	\$132	\$169	\$129	\$169
Incl. GST	\$119.90	\$145.20	\$185.90	\$141.90	\$185.90

Air/Hydraulic Bottle Jack 20,000KG

BWBBJ20T **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 20,000kg
 Working height: 263 - 503mm
 Hydraulic lift: 160mm
 Adjustable height: 80mm
 Base area: 200x152mm
 Op. air pressure: 90-120psi

INDUSTRIAL QUALITY



\$389.00 EXC GST
\$427.90 INC GST

WELDED BASE

Air/Hydraulic Bottle Jack 20,000KG

PROBJ20TA

Safe working capacity: 20,000kg
 Working height: 261.5-525mm
 Hydraulic lift: 156mm Adjustable lift: 95mm
 Operating air pressure: 110-125psi
 Air inlet fitting: 1/4"
 Base: 230 x 150 x 30mm
 Weight: 19kg

TRADEQUIP
LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals

Professional Reputable Outstanding



\$449.00 EXC GST
\$493.90 INC GST

WELDED BASE

Air/Hydraulic Bottle Jack 30,000KG

BWBBJ30T **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 30,000kg
 Working height: 275 - 532mm
 Hydraulic lift: 162mm
 Adjustable height: 95mm
 Base area: 229x180mm
 Op. air pressure: 90-120psi

INDUSTRIAL QUALITY



\$499.00 EXC GST
\$548.90 INC GST

WELDED BASE

Air Actuated Bottle Jack Squat 20,000KG

PROBJ20TAS

Safe working capacity: 20,000kg
 Working height: 185-330mm
 Operating air pressure: 110-125psi
 Hydraulic lift: 80mm
 Adjustable height: 61mm
 Air inlet fitting: 1/4"
 Base: 230 x 150 x 30mm
 Weight: 16kg

TRADEQUIP
LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals

Professional Reputable Outstanding



\$449.00 EXC GST
\$493.90 INC GST

WELDED BASE

Air/Hydraulic Bottle Jack 35,000KG

BBJ35TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 35,000kg
 Working height: 264 - 414mm
 Hydraulic lift: 150mm
 Operating air pressure: 110-125psi
 Air inlet fitting: 1/4"
 Weight: 29kg

35,000kg Capacity



\$529.00 EXC GST
\$581.90 INC GST

INDUSTRIAL QUALITY

Air/Hydraulic Bottle Jack 30,000KG

PROBJ30TA

Safe working capacity: 30,000kg
 Working height: 279.5-533mm
 Hydraulic lift: 155mm
 Op. air pressure: 110-125psi
 Air inlet fitting: 1/4"
 Base: 250 x 180 x 40mm
 Weight: 29kg

TRADEQUIP
LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals

Professional Reputable Outstanding



\$589.00 EXC GST
\$647.90 INC GST

WELDED BASE

Air/Hydraulic Bottle Jack 20,000KG

2026T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 20,000kg
Working height: 265-510mm
Hydraulic lift: 170mm
(265mm to 435mm)
Adjustable height: 75mm
(max. height 510mm)
Base area: 224x134mm
Work pressure: 90-120psi
Weight: 16kg

MADE FOR THE TRADE

\$289.00 EXC GST
\$317.90 INC GST



FEATURES

Compact powerful Air Turbo motor.
Versatile "quick connector" provides "quick & easy air connection."
Fitted with a safety overload valve for extra protection.
CNC machined cast alloy piston and barrel.
Barrel is hardness rated opposed to other mild steel variations.
Piston & Barrel combination present longlife wear characteristics similar to an engine crank and bearing.
Two piece pump handle.
Convenient welded carry handle.

Air/Hydraulic Bottle Jack 12,000KG

TQBJ12TA **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 12,000kg
Working height: 260-510mm
Adjustable screw: 80mm
Work pressure: 110-125psi
Hydraulic stroke: 170mm
Air inlet fitting: 1/4"

MADE FOR THE TRADE

FEATURES

Compact powerful Air Turbo motor.
Versatile "quick connector" provides "quick & easy air connection."
Two piece pump handle.
Convenient welded carry handle.

\$219.00 EXC GST
\$240.90 INC GST



12,000kg Capacity

Air/Hydraulic Squat Jack 20,000KG

TQBJ20TAS **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 20,000kg
Working height: 178-328mm
Adjustable screw: 63mm
Work pressure: 110-125psi
Hydraulic stroke: 87mm
Air inlet fitting: 1/4"

MADE FOR THE TRADE

\$309.00 EXC GST
\$339.90 INC GST



20,000kg Capacity



Air/Manual Bottle Jack 20,000KG

E02-0040

Safe working capacity: 20,000kg
Working height: 262-504mm
Hydraulic stroke: 163mm
Adjustable screw: 79mm
Operating air pressure: 110-125psi
Air inlet fitting: 1/4" x 18NPT
Weight: 16kg

eQuipt
LISTING Designed To DELIVER

MADE FOR THE TRADE

NEW ARRIVAL

\$239.00 EXC GST
\$262.90 INC GST



20,000kg Capacity

Air Actuated Super Low Profile Jack 20,000KG

2051T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 20,000kg
Working height: 148-259mm
Screw extension height: 45mm
Operating air pressure: 100-145psi
Hydraulic stroke: 66mm
Air inlet fitting: 1/4"

FEATURES
Compact powerful Air Turbo motor.
Versatile "quick connector" provides "quick & easy air connection."
Chrome plated rams.
Convenient welded carry handle.

\$379.00 EXC GST
\$416.90 INC GST



20,000kg Capacity

Air Actuated Truck Jack 35,000KG

BTJ35TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 35,000kg
Lift range: 255-633mm
Hydraulic lift: 155mm
Adjustable height: 123mm
Adaptors: 21, 61, 100mm
Handle length: 1110mm
Operating air pressure: 110-125psi
Chassis: 555L x 255H x 295Wmm

\$1,199.00 EXC GST
\$1,318.90 INC GST

INDUSTRIAL QUALITY

Includes Height Adaptors

LIFTS
35,000KG



FEATURES

Pro quality rugged steel construction.
Wear-resistant quality sealing O-rings.
Strong hydraulic pump & 3-position handle.
Temperature-resistant hydraulic oil.
Treated and polished piston and ram.
Built-in bypass hydraulic safety overload.
Compact design and Quick Lift ram.
Convenient & efficient height adaptors.
High quality lead-free paint.

Air Actuated Jack 2 Stage 15,000/30,000KG

BTJ1530TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

1st stage: 30,000kg safe working capacity
2nd stage: 15,000kg safe working capacity
First stage hydraulic lift: 73mm
Second stage hydraulic lift: 66mm
Operating air pressure: 145-175psi
Height: 150-409mm
Adaptors: 45 and 75mm
Handle length: 1300mm
Chassis: 480 x 290 x 150mm

INDUSTRIAL QUALITY

\$2,479.00 EXC GST
\$2,726.90 INC GST

Includes Height Adaptors

LIFTS
30,000KG



FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift (air-hydraulic pump).
Long T-handle lets you easily position your jack under vehicle.
Self-returning lower & lift switch.
Internal and external cylinders hard chromed.
High manoeuvrability & deep reach under vehicles.
2 extension adaptors/saddle plates.
Large rubber wheels.

Air Actuated Truck Jack 50,000KG

BTJ50TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 50,000kg
Lift range: 287-650mm
Hydraulic lift: 153mm
Adjustable screw: 110mm
Adaptors: 20, 60, 100mm
Handle length: 1230mm
Operating air pressure: 110-125psi
Chassis: 525L x 288H x 325Wmm

\$1,679.00 EXC GST
\$1,846.90 INC GST

INDUSTRIAL QUALITY

LIFTS
50,000KG



Includes Height Adaptors

FEATURES

Pro quality rugged steel construction.
Wear-resistant quality sealing O-rings.
Strong hydraulic pump & 3-position handle.
Temperature-resistant hydraulic oil.
Treated and polished piston and ram.
Built-in bypass hydraulic safety overload.
Compact design and Quick Lift ram.
Convenient & efficient height adaptors.
High quality lead-free paint.

Air Actuated Jack 2 Stage 20,000/40,000KG

BTJL2040TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

1st stage: 40,000kg safe working capacity
2nd stage: 20,000kg safe working capacity
Lift range: 150-295mm (no adaptors)
1st stage hydraulic lift: 77mm
2nd stage hydraulic lift: 68mm
Adaptors: 10, 35, 65mm
Operating air pressure: 100-145psi
Handle length: 1290mm
Chassis: 543L x 291Wmm

\$2,879.00 EXC GST
\$3,166.90 INC GST

INDUSTRIAL QUALITY

LIFTS
40,000KG



Includes Height Adaptors

FEATURES

Wear-resistant quality sealing O-rings.
Strong hydraulic pump.
Temperature-resistant hydraulic oil.
Treated and polished piston and ram.
Built-in bypass hydraulic safety overload system.
Quick Lift lifting ram comes in contact with the load faster.
Convenient & efficient height adaptors.
3-position pumping handle.
High quality lead-free paint.

Air Actuated Truck Jack 30,000KG

BTJ30TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 30,000kg
Lift range: 360-772mm
Hydraulic lift: 267mm
Adaptors: 45 & 100mm
Handle length: 1370mm
Operating air pressure: 145-175psi
Chassis: 840L x 360H x 282Wmm

INDUSTRIAL QUALITY

LIFTS
30,000KG

Includes Height Adaptors

SUITS HIGH AXLES

\$4,329.00 EXC GST
\$4,761.90 INC GST

FEATURES

XTP industry double sealing function using.
Telescopic air actuation lift.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability & deep reach under vehicles.
Designed for extremely high axles.



Air Actuated Truck Jack 60,000KG

BTJ60TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 60,000kg
Lift range: 420-1031mm
Hydraulic lift: 311mm
Adaptors: 100 & 200mm
Handle length: 1290mm
Operating air pressure: 145-175psi
Chassis: 910L x 420H x 300Wmm

\$4,999.00 EXC GST
\$5,498.90 INC GST

Includes Height Adaptors

INDUSTRIAL QUALITY

SUITS HIGH AXLES

FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability & deep reach under vehicles.
Designed for extremely high axles.



LIFTS
60,000KG

Air Actuated 2 Stage Truck Jack 10,000/25,000KG

BTJ1025TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Stage 1: 25,000kg safe working capacity
Stage 2: 10,000kg safe working capacity
Lift range: 185-497mm
Hydraulic lift: Stage1: 97mm, Stage2: 95mm
Adaptors: 45, 75mm
Handle length: 1380mm
Operating air pressure: 145-175psi
Chassis: 770L x 282H x 185Wmm

\$3,182.00 EXC GST
\$3,500.20 INC GST

Includes Height Adaptors

INDUSTRIAL QUALITY

DEEP REACH

LIFTS 25,000KG

FEATURES

Double sealing function - XTP industry sealing.
Telescopic air actuation lift.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability & deep reach under vehicles.



Air Actuated 3 Stage Truck Jack 20,000/40,000/60,000KG

BTJ204060TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

First stage: 60,000kg safe working capacity
Second stage: 40,000kg safe working capacity
Third stage: 20,000kg safe working capacity
First stage hydraulic lift: 57mm
Second stage hydraulic lift: 59mm
Third stage hydraulic lift: 61mm
Height: 150-447mm
Adaptors: 45 and 75mm
Operating air pressure: 145-175psi
Handle length: 1380mm
Chassis: 875 x 295 x 150mm

SUPER DEEP SUPER LOW

Includes Height Adaptors

\$4,099.00 EXC GST
\$4,508.90 INC GST

INDUSTRIAL QUALITY

FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift (air-hydraulic pump).
Long T-handle lets you easily position your jack under vehicle.
Self-returning lowering and lifting switch.
Internal and external cylinders hard chromed.
High manoeuvrability & deep reach under vehicles.
2 extension adaptors / saddle plates.
Large rubber wheels.



Air Actuated 2 Stage Truck Jack 25,000/50,000KG

BTJ2550TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Stage 1: 50,000kg safe working capacity
Stage 2: 25,000kg safe working capacity
Lift range: 215-564mm
Hydraulic lift: Stage1: 115mm, Stage2: 114mm
Adaptors: 45, 75mm
Handle length: 1380mm
Operating air pressure: 145-175psi
Chassis: 805L x 282H x 215Wmm

\$3,699.00 EXC GST
\$4,068.90 INC GST

Includes Height Adaptors

INDUSTRIAL QUALITY

LIFTS 50,000KG

DEEP REACH LOWER PROFILE

FEATURES

Double sealing function - XTP industry sealing.
Telescopic air actuation lift.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability & deep reach under vehicles.



Air Actuated 2 Stage Truck Jack 50,000/80,000KG

BTJ5080TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

First stage: 80,000kg safe working capacity
Second stage: 50,000kg safe working capacity
First stage hydraulic lift: 111mm
Second stage hydraulic lift: 102mm
Height: 230-563mm
Adaptors: 45 and 75mm
Operating air pressure: 145-175psi
Handle length: 1300mm
Chassis: 930 x 340 x 230mm

LIFTS 80,000KG

SUPER DEEP SUPER HIGH LIFT SUPER HIGH CAPACITY

INDUSTRIAL QUALITY

\$4,599.00 EXC GST
\$5,058.90 INC GST

Includes Height Adaptors

FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift (air-hydraulic pump).
Long T-handle lets you easily position your jack under vehicle.
Self-returning lowering and lifting switch.
Internal and external cylinders hard chromed.
High manoeuvrability & deep reach under vehicles.
2 extension adaptors / saddle plates.
Large rubber wheels.



Air Actuated 3 Stage Truck Jack 10,000/25,000/50,000KG

BTJ102550TA **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: Stage1: 50,000kg
Stage2: 25,000kg, Stage3: 10,000kg
Lift range: 160-472mm
Hydraulic lift: Stage1: 62mm
Stage2: 61mm, Stage3: 69mm
Adaptors: 45, 75mm
Handle length: 1380mm
Operating air pressure: 145-175psi
Chassis: 825L x 282H x 160Wmm

LIFTS 50,000KG

INDUSTRIAL QUALITY

DEEP REACH LOWER PROFILE

Includes Height Adaptors

FEATURES

Double sealing function using XTP industry sealing.
Telescopic air actuation lift.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability & deep reach under vehicles.

\$3,699.00 EXC GST
\$4,068.90 INC GST



Air Actuated Truck Jack 22,000KG

E43-0230

Safe working capacity: 22,000kg
Lift range: 225-552mm
Hydraulic lift: 124mm
Adjustable height: 103mm
Chassis: 560L x 230H x 320Wmm
Adaptors: 21, 60, 100mm
Handle length: 1160mm
Wheel diameter: 200mm

eQuipt
LIFTING Designed to DELIVER

NEW ARRIVAL

LIFTS
22,000KG

\$629.00 EXC GST
\$691.90 INC GST

Pre-Order
ETA
JUNE 2026

Includes
Height
Adaptors



FEATURES

Trade quality rugged steel construction.
Wear-resistant quality sealing O-rings.
Strong hydraulic pump.
Temperature-resistant hydraulic oil.
Treated and polished piston and Quick lift ram.
Built-in bypass hydraulic safety overload system.
Compact design easily fits dual tandem axles.
Convenient & efficient height adaptors.
3-position pumping handle.
High quality lead-free paint is oil, grease and dirt-resistant finish for easy cleanup.

Air Actuated Truck Jack 22,000KG

B2003T **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 22,000kg
Lift range: 210-525mm
Hydraulic lift: 120mm
Adjustable height: 105mm
Handle length: 1075mm
Air supply: 100-120psi
Wheel diameter: 175mm
Adaptors: 20, 50, 100mm
Chassis: 500L x 215H x 320Wmm

INDUSTRIAL QUALITY

\$1,029.00 EXC GST
\$1,131.90 INC GST

Includes
Height
Adaptors

LIFTS
22,000KG



FEATURES

Solid heavy duty construction.
Advanced technology sealing rings.
Fast motion super duty air pump.
Temperature-resistant hydraulic oil.
Treated and polished piston and ram.
Built-in bypass hydraulic safety overload system.
Compact design easily fits dual tandem axles.
Convenient & efficient height adaptors.
3-position pumping handle.
High quality lead-free paint is oil, grease and dirt-resistant finish for easy cleanup.

Air Actuated Truck Jack 22,000KG

2004T **TRADEQUIP** The trusted brand in equipment

Safe working capacity: 22,000kg
Lift range: 225-552mm
Hydraulic lift: 124mm
Adjustable height: 103mm
Chassis: 560L x 230H x 320Wmm
Adaptors: 21, 60, 100mm
Handle length: 1160mm
Wheel diameter: 200mm

MADE FOR THE TRADE

Includes
Height
Adaptors



LIFTS
22,000KG

\$729.00 EXC GST
\$801.90 INC GST

NEW WELDED BASE DESIGN

FEATURES

Trade quality rugged steel construction.
Wear-resistant quality sealing O-rings.
Strong hydraulic pump.
Temperature-resistant hydraulic oil.
Treated and polished piston and Quick lift ram.
Built-in bypass hydraulic safety overload system.
Compact design easily fits dual tandem axles.
Convenient & efficient height adaptors.
3-position pumping handle.
High quality lead-free paint is oil, grease and dirt-resistant finish for easy cleanup.



Air Actuated Truck Jack 20,000KG

PROTRJA20T

Safe working capacity: 20,000kg
Working height: 215-541mm
Hydraulic Lift: 141mm
Adjustable screw: 85mm
Adaptors: 20, 50, 100mm
Handle length: 1335mm
Operating air pressure: 145-175psi
Chassis: 520L x 215H x 258Wmm

LATEST APPLIED TECHNOLOGIES
TR Pro
Trusted by serious professionals

Professional Reputable Outstanding

SELF-RETURNING LOWERING & LIFTING SWITCH

Includes
Height
Adaptors

LIFTS
20,000KG

\$1,349.00 EXC GST
\$1,843.90 INC GST

FEATURES

Double sealing using XTP industry sealing.
Telescopic air actuation lift (air-hydraulic pump).
Long T-handle lets you easily position your jack.
Self-returning lowering and lifting switch.
Internal and external cylinders hard chromed.
High manoeuvrability & deep reach.
3 extension adaptors/saddle plates.



Portable Truck Ramps

BTR20TP **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT

Safe working load: 20,000kg per pair
Frame: 1160L x 463W x 242Hmm
Max. tyre width: 393mm

pair

\$1,749.00 EXC GST
\$1,923.90 INC GST

SOLD IN PAIRS

INDUSTRIAL QUALITY

Suitable for Buses and Trucks

FEATURES

Long retractable T-handle for easy positioning.
"NON-SKID BASE" - 4 ply pads of rubber grips are bolted and glued to the 6mm steel floor plates and they will not skid ahead of the wheels.
Replaces need for a pit or hoist, and at a fraction of the cost and floor space.



Air Jack Support Stand 10,000KG

BSJ10T **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 10,000kg
Height: Min. 536mm - Max. 1298mm
Hydraulic lift: 292mm
Base diameter: 339mm
Rated air pressure capacity: 200psi
Weight: 91kg

INDUSTRIAL QUALITY

LIFTS
10,000KG

FEATURES

The BORUM Industrial AIR JACK/SUPPORT STAND 10,000KG is a reinforced pin style jack and stand with industrial quality design and support bracing system to sustain heavy loads up to 10,000kg. Adjusts to match the job with a 536mm minimum height, 292mm of hydraulic lift and up to 1298mm maximum height using the extension tube!
Featuring Heavy-Duty Industrial design, this tough air jack/support stand is ideal for truck, bus, farm, earthmoving equipment and fleet vehicle maintenance workshop use.



\$1,349.00 EXC GST
\$1,483.90 INC GST



Truck Jack Stands **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

SOLD INDIVIDUALLY

Code	15TJSSHORT	15TJS
Load limit	15,000kg	15,000kg
Height	446 - 631mm	645-1077mm
Base Area	300x300mm	460x460mm
Excl. GST	\$439	\$529
Incl. GST	\$482.90	\$581.90

Code	25TJSSHORT	25TJS
Load limit	25,000kg	25,000kg
Height	415 - 539mm	680-968mm
Base Area	300x300mm	460x460mm
Excl. GST	\$539	\$599
Incl. GST	\$592.90	\$658.90

INDUSTRIAL QUALITY

FEATURES

Manufactured from high-grade steel and built to exacting standards for quality and durability.
Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup.
High strength locking pin.
Controlled pin holes for easy height adjustments.
Turned post slide for easy quick adjustments.
Heavy-gauge steel gusseted uprights prevent distortion or twisting.
Rugged base provides plenty of stability.
Conveniently located carry handle.
Sold individually. (not in pairs)



from
\$439.00 EXC GST
\$482.90 INC GST

Auxiliary Stand 7,000KG

BAUXS7T **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 7,000kg
Working height: 1295-1905mm
Adjustable pin heights:
8 (75mm increments)
Base: 300x300x300mm
Weight: 65kg

FEATURES

Heavy duty design and support bracing system to sustain heavy vehicle loads.
Manufactured from high-grade steel and built to exacting standards for quality and durability.
Fitted with spring loaded castor wheels to ensure easy movement around the workshop.
Fitted with spring loaded support beam.
Lead-free paint finish is applied after a thorough chemical wash to ensure a long-lasting finish and to help prevent rust.
Paint is oil, grease and dirt-resistant for easy cleanup.
High strength locking pin.
Controlled pin holes for easy height adjustments.
Turned post slide for easy quick adjustments.

INDUSTRIAL QUALITY

7,000kg Capacity

Max. height 1905mm



Spring loaded castor wheels

\$1,549.00 EXC GST
\$1,703.90 INC GST

Support Stand 10,000KG

10TSS **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 10,000kg
Working height: 720-1190mm
Adjustable pin heights: 10
Saddle dimensions: 150x80mm
Base: 406 x 556mm
Weight: 23.5kg

FEATURES

Stable 4 legged stability.
Lead-free paint is oil, grease and dirt-resistant for easy cleanup.
High strength locking pin & controlled pin holes for easy height adjustments.
Turned post slide for easy adjustment.

***10TSS/10TSSSHORT SOLD INDIVIDUALLY**

\$415.00 EXC GST
\$456.50 INC GST

INDUSTRIAL QUALITY
10,000kg Capacity

Max. height 1190mm



Support Stand SHORT 10,000KG **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

10TSSSHORT
Safe working capacity: 10,000kg
Working height: 480-780mm
Adjustable pin heights: 6
Saddle dimensions: 150x80mm
Base: 310 x 310mm
Weight: 18kg

\$369.00 EXC GST
\$405.90 INC GST

Jumbo Spanner Set 10 Piece Imperial

B10PJSI **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

10 Imperial Sizes:
1 5/16", 1 3/8", 1 7/16", 1 1/2", 1 5/8",
1 11/16", 1 3/4", 1 13/16", 1 7/8" 2"
Wallet rolled out: 830 x 690 x 30mm
Wallet rolled up: 150 x 690 x 130mm
Weight: 14kg

\$259.00 EXC GST
\$284.90 INC GST

INDUSTRIAL QUALITY

Jumbo Spanner Set 10 Piece Metric

B10PJSM **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

10 Metric Sizes:
34mm, 36mm, 38mm, 41mm, 42mm,
44mm, 45mm, 46mm, 48mm & 50mm
Wallet rolled out: 830 x 690 x 30mm
Wallet rolled up: 150 x 690 x 130mm
Weight: 14kg

\$259.00 EXC GST
\$284.90 INC GST



H/Duty Wheel Dolly Lifter 1200KG

BR05-0090 **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 1200kg
Tyre diam: Min. 1000mm Max. 2000mm
Lifting range: 0 - 750mm
Ground clearance (rollers lowered): 90mm
Roller length: 490mm
Roller diameter: 80mm
Roller table area: 490 x 320mm
Caster wheel diameter: 150mm
Handle length: 1000mm
Weight: 113kg

**INDUSTRIAL
QUALITY**

**NEW
ARRIVAL**

\$1,699.00 EXC
GST
\$1,868.90 INC
GST



**1,200kg
Capacity**

FEATURES

Hydraulics provide smooth, positive power for the removal & installation of large commercial wheel & tyre combinations. Heavy duty steel frame adjusts laterally to allow precise positioning with the wheel rollers for further control. Supports heavy commercial rims and tyres up to 1200kg. Rolls easily on four quality steel bearing castors. Heavy duty adjustable support arm to keep load secure. Integrated locking pin secures the dolly to relieve hydraulic pressure under load.

Truck Wheel Lifter

BTWD750 **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 750kg
Lift arm spread: 533-635mm
Lifting range: 60-275mm
Tilt range: -2.5 to 10 degrees
787L x 1092W x 895H mm

**Suitable
for Buses
and Trucks**

**INDUSTRIAL
QUALITY**



**750kg
Capacity**

\$999.00 EXC
GST
\$1,098.90 INC
GST

FEATURES

Hydraulic system actuated to provide smooth, positive power for the removal & installation of single, tandem and duplex tyres and wheels. Heavy duty steel frame tilts to allow precise positioning of truck tyres. Supports heavy commercial rims and tyres. Rolls easily on quality steel bearing castors. Includes heavy duty chain to keep load secure. Lead-free paint is applied to ensure a long-lasting finish and prevent corrosion. Paint finish is oil, grease and dirt-resistant for easy cleanup.

Wheel Dolly Single 250KG

B250WH **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 250kg
Maximum depth: 305mm
Overall height: 1000mm
Weight: 14kg

**INDUSTRIAL
QUALITY**

**250kg
Capacity**

FEATURES

Adjustable arms. Equipped with rollers for easy positioning. Stop rollers on the rear side. Ergonomic handle with rounded & soft safety grip.

\$414.00 EXC
GST
\$455.40 INC
GST



Clutch Jack 130kg

BCJ130 **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 130kg
Height: Min. 288mm, Max. 980mm
Chassis: 1041 x 609mm
1 x 2" Alignment Spline
Included (10 Tooth)
1 x 1-3/4" Alignment Spline
Included (10 Tooth)

FEATURES

Designed for lifting, lowering & installing/removing heavy vehicle clutch/flywheel assemblies. Industrial-grade steel frame. High quality hydraulic steel cylinder. Industrial hydraulic system. Rugged heavy industrial wheels and full swivel ball castors. User-friendly rotating handle. Paint is oil, grease and dirt-resistant for easy cleanup. Two 10-tooth alignment splines included store on chassis.

\$1,699.00 EXC
GST
\$1,868.90 INC
GST

**130kg
Capacity**



**INDUSTRIAL
QUALITY**

Hydraulic Ram Kit

2011T **TRADEQUIP**
The trusted brand in equipment

9 Piece Kit
Blow mould carry case:
530 x 500 x 110mm
Weight: 24kg

MADE FOR THE TRADE

\$499.00 EXC GST
\$548.90 INC GST



Set Includes: 4 x Hooks - 2 Large and 2 Small
2,000kg Mini Ram - Compressed 139mm > Stroke 76mm
4,000kg Mini Ram - Compressed 42mm > Stroke 16mm
10,000kg Mini Ram - Compressed 118mm > Stroke 60mm
4,000kg Porta Power Ram - Compressed 276mm > Stroke 132mm
10,000kg Porta Power Ram - Compressed 350mm > Stroke 150mm
2,000kg Pull Back Ram - Extended 537mm > Stroke 128mm
5,000kg Pull Back Ram - Extended 613mm > Stroke 130mm

Porta Power Kit

BPP20T **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 20,000kg
Extension tubes: 125, 255, 510, 700mm
3 each, 70mm connective tube & 60mm joint connector tube
Base, Ram toe, Plunger toe
Wedge toe, V-base, Wrench
Retracted ram length: 285mm
Ram stroke: 125mm
Hydraulic hose length: 1470mm
Weight: 62kg

INDUSTRIAL QUALITY

\$1,439.00 EXC GST
\$1,582.90 INC GST



FEATURES

Constructed of high-grade steel and built to exacting standards for quality and durability. Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup. High quality hydraulic steel cylinder unit helps to reduce wear and extend service life. Piston-ram is treated and polished. Hydraulics are powered with a high quality oil, which offers better corrosion resistance and high/low temperature flexibility. Heavy walled extension tubes.

20,000kg Capacity



Air/Hydraulic Pump

2054T **TRADEQUIP**
The trusted brand in equipment

Maximum output pressure: 10,000psi
Usable hydraulic fluid capacity: 2.25 Litres
Operating air pressure: 90-145 psi
Air consumption: 7.5CFM @ 100 psi
Oil delivery with No Load: 49.5 cu.in./min
Oil delivery with Load: 7.6 cu.in./min
Input (Air) port thread: 1/4" -18 NPT
Output (Oil) port thread: 3/8" -18 NPT

MADE FOR THE TRADE

HANDS FREE POWER



FEATURES

Durable light-weight corrosion-free aluminium. Built-in overload system prevents pump from being used beyond its safety capacity. Ergonomic hand/foot activation lever. Air/oil filters minimise contaminants in hydraulic system. Perfect for porta power rams & bead breakers. Compact design fits in truck storage boxes. Air exhaust muffler for quiet operation.

EH-8206F Hose to suit - \$189 ex gst \$207.90 inc gst

\$729.00 EXC GST
\$801.90 INC GST

Porta Power Kit

2010T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 10,000kg
14 Piece Kit containing pump and hose fittings
Ram length retracted: 322mm
Ram length extended: 452mm
Extensions: 110,265,365,520mm
Case: 905L x 385W x 175H mm
Hydraulic hose length: 1500mm
Hydraulic oil capacity: 650ml
Adaptor diameter: 33mm
Weight: 31kg



MADE FOR THE TRADE

FEATURES

Spring loaded ram return system, allowing controlled retraction of the ram. Pump may be used in horizontal & vertical position. Constructed of high-grade steel and built to exacting standards for quality and durability. Lead-free paint finish is oil, grease and dirt-resistant. Pump has an automatic overload system. Easily adapts to hoses, rams, pumps, spreaders, and other accessories using common 1/4" fittings.

\$482.00 EXC GST
\$530.20 INC GST

Combi Portable Bead Breaker 5,000KG

BTBB05 **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Working load limit: 5,000kg
Pressure connection: 3/8"-18NPTF
Rated pressure: 10,000psi
Maximum rim size: 26"
Suits 1,2 & 3 pce rims (up to 26")
with pry bar / bead loosening pockets
Ram stroke: 90mm

FEATURES

Durable steel construction. Clamps to wheel rim & breaks bead simply with up to 5,000kg of force. Requires 10,000psi air/hydraulic pump (sold separately).

\$629.00 EXC GST
\$691.90 INC GST

Suits Tradequip EH-8206F & 2054T

INDUSTRIAL QUALITY



Giant Portable Bead Breaker 13,000KG

BTBB13 **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Working load limit: 13,000kg
Pressure connection: 3/8"-18NPTF
Rated pressure: 10,000psi
Suits 5 pce rims 635-1,295mm (25"-51")
with pry bar / bead loosening pockets
Maximum rim size: 26"
Ram stroke: 105mm

FEATURES

Economical solution for earthmover wheels 25" - 51" multi-piece rims with pry bar pockets. Hydraulically clamps on wheel. Durable steel construction. Hydraulic power breaks beads in seconds. Requires 10,000psi air/hydraulic pump (sold separately).

Suits Tradequip EH-8206F & 2054T

\$799.00 EXC GST
\$878.90 INC GST



INDUSTRIAL QUALITY

Workshop Press 20,000KG

1061T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 20,000kg
Working range: 60-773mm
Overall height: 1503mm
Overall width: 705mm
Overall depth: 660mm
Bed width: 504mm
Bed gap: 103mm
Bed inside: 285 x 103mm
Press head diameter: 40mm
Press head length: 68mm
Jacking handle: 694mm
Piston ram stroke: 160mm
Weight: 82kg

SAFETY BARRIER AVAILABLE SEPARATELY



FEATURES

High-grade Channel Steel.
Hydraulics are powered with a high quality oil.
Integrated overload protection valve keeps from overloading the system.
Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust.



\$569.00 EXC GST
\$625.90 INC GST

Workshop Press 30,000KG

1062T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 30,000kg
Working range: 45-705mm
Overall height: 1605mm
Overall width: 745mm
Overall depth: 660mm
Bed width: 480mm
Bed gap: 124mm
Bed inside: 254 x 124mm
Press head diameter: 50mm
Press head length: 68mm
Jacking handle: 694mm
Piston ram stroke: 163mm
Weight: 113kg

SAFETY BARRIER AVAILABLE SEPARATELY



FEATURES

High-grade Channel Steel.
Hydraulics are powered with a high quality oil.
Integrated overload protection valve keeps from overloading the system.
Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust.



\$929.00 EXC GST
\$1,021.90 INC GST

Hydraulic Workshop Press 20,000KG

1063T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 20,000kg
Working range: 43-882mm
Overall height: 1795mm
Overall width: 780mm
Overall depth: 690mm
Bed width: 505mm
Bed gap: 105mm
Bed inside: 358 x 105mm
Press head cap diam: 45mm
Press head cap length: 17mm
Ram lateral adjustment: 180mm
Piston ram stroke: 185mm
Weight: 90kg

SAFETY BARRIER AVAILABLE SEPARATELY

FEATURES

High-grade Channel Steel.
100mm pressure gauge.
High quality large diameter hydraulic steel cylinder unit.
Hydraulics are powered with a high quality oil.
Integrated overload protection valve keeps from overloading the system.
Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust.

Lateral Ram Adjustment



\$899.00 EXC GST
\$988.90 INC GST

Hydraulic Workshop Press 30,000KG

1064T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 30,000kg
Working range: 50-1030mm
Overall height: 1950mm
Overall width: 830mm
Overall depth: 660mm
Bed width: 455mm
Bed gap: 154mm
Bed inside: 230 x 154mm
Press head diameter: 56mm
Load cap length: 17mm
Jacking Handle: 639mm
Ram lateral adjustment: 70mm
Piston ram stroke: 170mm
Weight: 138kg

SAFETY BARRIER AVAILABLE SEPARATELY

FEATURES

High-grade Channel Steel.
100mm pressure gauge.
High quality large diameter hydraulic steel cylinder unit.
Hydraulics are powered with a high quality oil.
Integrated overload protection valve keeps from overloading the system.
Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust.

Lateral Ram Adjustment



\$1,299.00 EXC GST
\$1,428.90 INC GST

Hydraulic Workshop Press 45,000KG WIDE

2036T **TRADEQUIP** *The trusted brand in equipment* *MODEL RUNOUT*



Safe working capacity: 45,000kg
Working range: 159-859mm
Bed outside: 359mm
Bed inside: 195mm
Bed width: 826mm
Piston ram stroke: 190mm
Ram diameter: 90mm
1707H x 1420W x 826Dmm
Bed height settings: 6
Weight: 296kg



6 HEIGHT SETTINGS

SAFETY BARRIER AVAILABLE SEPARATELY

\$2,449.00 EXC GST
\$2,693.90 INC GST

BONUS
12 MONTH PARTS ONLY WARRANTY ON HYDRAULIC RAM & HYDRAULIC PUMP IN ADDITION TO STANDARD 12 MONTH WARRANTY***

45,000kg Capacity

FEATURES

High-grade steel frame.
100mm pressure gauge.
Bed winch for easy raise and lower adjustment.
Lead-free paint finish is oil, grease and dirt-resistant.
Hand winch for fast adjustment.

Air/Hydraulic Workshop Press 45,000KG WIDE

2038T **TRADEQUIP** *The trusted brand in equipment* *MODEL RUNOUT*

6 HEIGHT SETTINGS

Safe working capacity: 45,000kg
Working range: 159-859mm
Bed outside: 359mm
Bed inside: 195mm
Bed width: 826mm
Piston ram stroke: 190mm
Ram diameter: 90mm
Op. air pressure: 110-125 psi
1707H x 1420W x 800Dmm
Bed height settings: 6
Weight: 301kg



FEATURES

High-grade steel frame.
2 speed pump, 100mm pressure gauge.
Bed winch for easy raise and lower adjustment.
Paint is oil, grease and dirt-resistant for easy cleanup.
High quality large diameter hydraulic steel cylinder unit.
Piston-ram is treated, polished. Includes hand winch.
Integrated overload protection valve prevents overloading.
Extra-long handle included for easy pumping force.
Double spring ram return for fast ram retraction.

SAFETY BARRIER AVAILABLE SEPARATELY

BONUS
12 MONTH PARTS ONLY WARRANTY ON HYDRAULIC RAM & HYDRAULIC PUMP IN ADDITION TO STANDARD 12 MONTH WARRANTY***

45,000kg Capacity

\$2,849.00 EXC GST
\$3,133.90 INC GST



Air/Hydraulic Workshop Press 50,000KG

2048T **TRADEQUIP** *The trusted brand in equipment*

Safe working capacity: 50,000kg
Working range: 137-837mm
Bed outside: 356mm
Bed inside: 210mm
Bed width: 713mm
Bed internal: 390 x 200mm
Piston ram stroke: 190mm

Ram diameter: 95mm
Op. air pressure: 110-125 psi
1700H x 1290W x 745Dmm
Bed height settings: 6
Weight: 271kg



\$2,649.00 EXC GST
\$2,913.90 INC GST

6 HEIGHT SETTINGS

SAFETY BARRIER AVAILABLE SEPARATELY

FEATURES

Heavy-duty high-grade steel frame.
Hand operated air trigger ram travel control.
100mm pressure gauge.
Polished pneumatic aluminium air motor.
Bed winch for easy raise and lower adjustment.
Lead-free paint finish helps prevent rust & is oil, grease and dirt-resistant.
High quality large diameter hydraulic unit.
Hand winch for fast height adjustments.



BONUS
12 MONTH PARTS ONLY WARRANTY ON HYDRAULIC RAM & HYDRAULIC PUMP IN ADDITION TO STANDARD 12 MONTH WARRANTY***

50,000kg Capacity

Workshop Press Adaptor Kit

BPAK **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT

Includes 8 different sized pins (mandrels) ranging from 2,000kg to 20,000kg capacity, a pin holder, a storage shelf along with a mounting kit, and a pin plate with the weight capacity shown for each pin.
This very handy set of eight steel mandrels, adaptor and press plate expands the uses of your workshop press for a wider range of applications involving different sized work pieces.

\$179.00 EXC GST
\$196.90 INC GST



Mandrel Length x Diameter
50mm x 10mm
60mm x 12mm
60mm x 16mm
85mm x 18mm
85mm x 20mm
85mm x 22mm
15mm x 25mm
110mm x 30mm

***UNLESS STATED OTHERWISE, ALL TQB BRANDS PRODUCTS, EXCLUDING CONSUMABLES, COME WITH A 12 MONTH COMMERCIAL USE WARRANTY AGAINST MANUFACTURING DEFECTS. THE BONUS 12 MONTH WARRANTY OFFERED EXCLUSIVELY IN THIS PROMOTIONAL PERIOD APPLIES ONLY TO THE HYDRAULIC RAM AND HYDRAULIC PUMP FOR "BONUS" MARKED PRODUCTS. THE ADDITIONAL 12 MONTHS DOES NOT INCLUDE INSTALLATION/REMOVAL LABOUR OR FREIGHT FOR THE COMPONENT.

Air/Hydraulic Workshop Press 30,000KG

PROSHPR30TA

Safe working capacity: 30,000kg
Working range: 25-850mm
Screw adjustment: 75mm
Bed outside: 164mm
Bed inside: 148mm
Bed width: 600mm
Ram diameter: 58mm
Bed height settings: 6
1800H x 770W x 505Dmm
Weight: 163kg

SAFETY BARRIER AVAILABLE SEPARATELY

LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals
Professional Reputable Outstanding

30,000kg Capacity

BONUS
12 MONTH PARTS ONLY WARRANTY ON HYDRAULIC RAM & HYDRAULIC PUMP IN ADDITION TO STANDARD 12 MONTH WARRANTY***

\$2,999.00 EXC GST
\$3,298.90 INC GST

LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals

- ✓ Mandrel Kit Included
- ✓ Long Pump Handle
- ✓ Premium Bed Blocks
- ✓ Winch Adjustable Bed
- ✓ Premium Hydraulic System
- ✓ Premium Paint Finish
- ✓ Precision Lateral Ram Adjustment
- ✓ Premium Grade Steel Construction
- ✓ Designed for maximum strength, reliability and durability
- ✓ Foot Pedal Air/Hydraulic Operation

YouTube
Scan code for TQPro Presses online product demonstration



Air/Hydraulic Workshop Press 50,000KG

PROSHPR50TA

Safe working capacity: 50,000kg
Working range: 80-780mm
Screw adjustment: 75mm
Bed inside: 200mm
Bed outside: 220mm
Bed width: 750mm
Ram diameter: 68mm
Bed height settings: 6
1900H x 930W x 535Dmm
Weight: 243kg

6 HEIGHT SETTINGS

LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals
Professional Reputable Outstanding



\$3,999.00 EXC GST
\$4,398.90 INC GST



SAFETY BARRIER AVAILABLE SEPARATELY

50,000kg Capacity

BONUS
12 MONTH PARTS ONLY WARRANTY ON HYDRAULIC RAM & HYDRAULIC PUMP IN ADDITION TO STANDARD 12 MONTH WARRANTY***

MODEL RUNOUT

Electric Workshop Press 30,000KG

EPROP30TE

Safe working capacity: 30,000kg
Working range: 25-850mm
Screw adjustment: 75mm
Bed outside: 164mm
Bed inside: 148mm
Bed width: 600mm
Ram diameter: 58mm
Bed height settings: 6
1800H x 1080W x 505Dmm
Weight: 163kg

NEW ARRIVAL

6 HEIGHT SETTINGS

LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals
Professional Reputable Outstanding

30,000kg Capacity

\$3,399.00 EXC GST
\$3,738.90 INC GST

FEATURES

Heavy-duty high-grade steel H-frame. Integrated overload protection valve. Electric foot & hand operated pump. 100mm pressure gauge. Lead free paint finish is oil, grease and dirt-resistant for easy cleanup. Piston-ram is fitted with backup ring, preventing bypass oil drift. High quality hydraulic oil offers better corrosion resistance and flexibility. Pair of bed plates included.



INCLUDES PRESS ADAPTOR KIT & SAFETY BARRIER

Electric Workshop Press 50,000KG

EPROP50TE

Safe working capacity: 50,000kg
Working range: 80-780mm
Screw adjustment: 75mm
Bed inside: 200mm
Bed outside: 220mm
Bed width: 750mm
Ram diameter: 68mm
Bed height settings: 6
1900H x 1240W x 535Dmm
Weight: 243kg

50,000kg Capacity

NEW ARRIVAL

LATEST APPLIED TECHNOLOGIES
TQ PRO
Trusted by serious professionals
Professional Reputable Outstanding

\$4,599.00 EXC GST
\$5,058.90 INC GST

FEATURES

Heavy-duty high-grade steel H-frame. Integrated overload protection valve. Electric Foot & Hand operated pump. 100mm pressure gauge. Lead free paint finish is oil, grease and dirt-resistant for easy cleanup. Piston-ram is fitted with backup ring, preventing bypass oil drift. High quality hydraulic oil offers better corrosion resistance and flexibility. Pair of bed plates included.



INCLUDES PRESS ADAPTOR KIT & SAFETY BARRIER

Air/Hydraulic Workshop Press 75,000KG

BSP75TA **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT *MODEL RUNOUT*

Safe working capacity: 75,000kg
Working range: 170-884mm
Overall height: 1925mm
Overall width: 1340mm
Overall depth: 800mm
Bed width: 800mm
Bed surface depth: 279mm

Piston ram stroke: 250mm
Ram diameter: 125mm
Width between side posts: 217mm
Bed height settings: 8
Operating air pressure: 110-125psi
Air inlet: 1/4"NPT
Weight: 451kg

Power to safely remove & install bearings, gears, U-joints, bushings, ball joints and pulleys with precision and versatility!

8 HEIGHT SETTINGS

INDUSTRIAL QUALITY

Air/Hydraulic Workshop Press 100,000KG

BSP100TA **BORUM** INDUSTRIAL WORKSHOP EQUIPMENT *MODEL RUNOUT*



Safe working capacity: 100,000kg
Working range: 113-813mm
Overall height: 1848mm
Overall width: 1250mm
Overall depth: 990mm
Bed width: 787mm
Bed surface depth: 342mm

Piston ram stroke: 300mm
Ram diameter: 140mm
Width between side posts: 268mm
Bed height settings: 6
Operating air pressure: 110-125psi
Air inlet: 1/4"NPT
Weight: 652kg

Ideal for straightening, stamping, bending and pressing any component that is difficult to handle.

6 HEIGHT SETTINGS

INDUSTRIAL QUALITY



FEATURES

- Heavy-duty H-frame constructed of high-grade steel and built to exacting standards for quality and durability.
- Foot operated air trigger ram travel control. • 100mm pressure gauge. • Extra tall working range for versatility. • Pair of bed plates included
- Table winch system lowers or raises the bed. • Integrated overload protection valve keeps from overloading the system.
- High quality large diameter hydraulic steel cylinder unit results in lower oil pressure needed to raise the load, helping to reduce wear and extend service life.
- Piston-ram is treated and polished and fitted with backup ring, preventing load from falling slowly or bypassing oil drift.
- Hydraulics are powered with a high quality oil, which offers better corrosion resistance & high/low temperature flexibility, allowing the unit to operate at temperatures.
- Lead-free paint finish is applied after a thorough chemical wash to ensure a long-lasting finish to help prevent rust & is oil, grease, & dirt-resistant for easy clean up.

**UNLESS STATED OTHERWISE, ALL TQB BRANDS PRODUCTS, EXCLUDING CONSUMABLES, COME WITH A 12 MONTH COMMERCIAL USE WARRANTY AGAINST MANUFACTURING DEFECTS. THE BONUS 12 MONTH WARRANTY OFFERED EXCLUSIVELY IN THIS PROMOTIONAL PERIOD APPLIES ONLY TO THE HYDRAULIC RAM AND HYDRAULIC PUMP FOR 'BONUS' MARKED PRODUCTS. THE ADDITIONAL 12 MONTHS DOES NOT INCLUDE INSTALLATION/REMOVAL LABOUR OR FREIGHT FOR THE COMPONENT.

Polycarbonate TQB Shop Press Safety Barrier



MADE FOR THE TRADE

Multiple Height Settings

SUITS TRADEQUIP AND BORUM PRESSES ONLY

SGUARD-1
PRESS GUARD
POLY CARBONATE
SUIT 1061/1062/1063T

\$192.00 EXC GST
\$211.20 INC GST

SGUARD-3
PRESS GUARD
POLY CARBONATE
SUIT BSP75TA

\$259.00 EXC GST
\$284.90 INC GST

SGUARD-2
PRESS GUARD
POLY CARBONATE
SUIT 1064T

\$219.00 EXC GST
\$240.90 INC GST

SGUARD-4
PRESS GUARD
POLY CARBONATE
SUIT 2038T/
2036T/BSP100TA

\$315.00 EXC GST
\$346.50 INC GST

*** AVAILABLE IN FOUR DIFFERENT SIZES ***



Great Workshop Press Safety Accessory

*DOES NOT INCLUDE PRESS AND ACCESSORIES SHOWN

eQuipt. Practical Tools. Designed To Deliver.

The Equipt Compact Shop Press range is about matching the tool to the task delivering capability, reliability and value for workshops that need professional results without industrial-scale throughput requirements. Designed specifically for workshops that don't require high-cycle industrial equipment but still demand dependable performance and safety.

This range delivers the pressing force needed for routine jobs without overcapitalising on heavy-duty, high-throughput machinery.

Engineered for lower- to moderate-volume use – Ideal for routine pressing applications.

Straightforward setup and operation – Reliable performance without complexity.

Workshop Press Manual/Air 45,000KG

E13-0280

Safe working capacity: 45,000kg
Working range: 144-984mm
Weight: 245kg

FEATURES

Hydraulics are powered with a high quality oil. 100mm pressure gauge. Integrated overload protection valve keeps from overloading the system. Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust. Bed winch for fast adjustment.



\$1,849.00 EXC GST
\$2,033.90 INC GST



NEW ARRIVAL



Workshop Press 20,000KG

E13-0260

Safe working capacity: 20,000kg
Working range: 45-721mm
Piston ram stroke: 161mm
Bed Width: 662mm
Weight: 81kg



FEATURES

Paint finish is oil, grease and dirt-resistant for easy cleanup. Dependable double spring return for fast ram retraction. Pair of bed plates included.

NEW ARRIVAL



Workshop Press 30,000KG

E13-0270

Safe working capacity: 30,000kg
Working range: 45-713mm
Piston ram stroke: 166mm
Bed Width: 661mm
Weight: 113kg



FEATURES

Paint finish is oil, grease and dirt-resistant for easy cleanup. Dependable double spring return for fast ram retraction. Pair of bed plates included.

NEW ARRIVAL



\$449.00 EXC GST
\$493.90 INC GST



\$779.00 EXC GST
\$856.90 INC GST



TOO NEW TO PHOTOGRAPH. VISIT WWW.TQBBrands.COM.AU FOR UPDATED IMAGES AND MORE SPECS.

Hydraulic Ball Joint Tool

TQ39-0170 **TRADEQUIP**
The trusted brand in equipment

Hydraulic capacity: 10,000kg
Heavy duty construction
Adaptors: 17-22, 19-28, 26-32, 30-36 mm
Dimensions: 375 x 340 x 260mm
Weight: 4.8kg

MADE FOR THE TRADE

\$399.00 EXC GST
\$438.90 INC GST



FEATURES

Safely separate ball joints, tie rod ends, control arms and steering knuckles across a wide range of vehicles with this versatile hydraulic solution. Featuring a powerful 10-ton ram, it delivers controlled high-pressure force, offering a superior, low-effort alternative to traditional manual hammering methods.

Master Press & Pull Set 28 Piece

9028T **TRADEQUIP**
The trusted brand in equipment

4 x Step plates: 74, 76, 78, 80mm
4 x Pulling spindles with thrust bearings
20 x Press sleeves: 44 x 43; 46 x 36; 48 x 38; 50 x 40; 52 x 42; 54 x 44; 56 x 46; 58 x 48; 60 x 50; 62 x 52; 64 x 54; 66 x 56; 68 x 58; 70 x 60; 72 x 62; 74 x 64; 76 x 66; 78 x 68; 80 x 70; 82 x 72mm

MADE FOR THE TRADE

\$425.00 EXC GST
\$467.50 INC GST

Heat-treated forged carbon steel in a sturdy Blow Mould Case



49 Pce Hydraulic Bushing and Bearing Service Kit

TQ39-0180 **TRADEQUIP**
The trusted brand in equipment

Ram capacity: 18,000kg
Sleeves: 18-60mm(ID) and 26-68mm(OD) 2mm increments
Spindles: M10xP1.5, M12xP1.75, M14xP2.0, M16xP2.0
Dimensions: 890 x 375 x 170mm
Weight: 29.7kg

MADE FOR THE TRADE

\$999.00 EXC GST
\$1,098.90 INC GST

FEATURES

Effortlessly remove and install bushings and bearings with this precision hydraulic puller. Designed to ensure perfect alignment, it prevents component damage and eliminates manual hammering. Simply configure the sockets and apply pressure to extract or seat parts in seconds.



Universal Press & Pull Sleeve Kit 26 Piece

9024T **TRADEQUIP**
The trusted brand in equipment

4 Beams
3 1/2" Sleeves
20 Sleeves
11pieces (GOLD)
9 pieces (SILVER)

MADE FOR THE TRADE

\$379.00 EXC GST
\$416.90 INC GST

For removal and installation of bushes, bearings and seals, races, sprockets and pulleys on cars, trucks, off-road construction equipment and machinery



Hydraulic Gear Puller 23 Piece

9023T **TRADEQUIP**
The trusted brand in equipment

Capacity: 10,000kg
Bearing Separator: 20-105mm
Twin/triple head, beam and legs to build: 100, 150 and 200mm
Two and three leg hydraulic pullers with separator capacity: 75-105mm
Size: 355L x 195W x 150Hmm

MADE FOR THE TRADE

Pulls bearings, timing gears, steering wheels and pulleys on most cars and light trucks

\$362.00 EXC GST
\$398.20 INC GST



Universal Press Support Block 30,000KG

9025T **TRADEQUIP**
The trusted brand in equipment

Base block: 250 x 200 x 40mm
Height adaptor block: 200x70x40mm

MADE FOR THE TRADE

\$355.00 EXC GST
\$390.50 INC GST

For use with a hydraulic shop press for workpieces with a complicated shape to allow bearings to be pressed in or out accurately.



Made from Billet aluminium

MORE THAN JUST A PRESS!

Workshop Mate Workstation featuring a 30,000KG Shop Press & Spring Compressor

WSM4  **WORKSHOP MATE**
THE MECHANICS WORKSTATION

Safe working capacity: 30,000kg
Working range: 224mm-819mm
Piston ram stroke main ram:
140mm (Standard load cap fitted)
Bed height settings: 85mm increments-8 settings
Bed width: 466mm Bed gap: 200mm
Spring compressor: Piston ram stroke: 295mm
Operating air pressure: 90-125psi
Overall dimensions: 1820H x 1170W x 820Dmm
Weight: 400kg

MADE FOR THE TRADE

FEATURES

AIR/HYDRAULIC OPERATED 30,000KG PRESS
SPRING COMPRESSOR.
FILTER CRUSHING ACCESSORY
DOZENS OF UNIQUE TOOLING OPTIONS
ON-BOARD TOOLING STORAGE STAND
WINCH OPERATION TO LOWER AND RAISE BENCH

BENEFITS

Press almost any bearing or bush with **PRECISION** and **ACCURACY** in minutes, saving valuable workshop time.

Smooth **AIR/HYDRAULIC** foot pedal operation for hands-free accuracy & control.

Hands free Spring Compression.

Even the most difficult pressing tasks become **SAFE & EASY**.

Complete with **COMPREHENSIVE HIGH QUALITY** Interlocking Tool, Die and Spacer Kit to ensure **SAFE WORK PRACTICES**.

Complete on machine storage - minimises time spent searching for the required tools & spacers for each job!

Tasks like **SUSPENSION BUSHES** once seen as too hard become a breeze.

A comprehensive variety of spring adaptors, suitable to almost any type or model of spring **SAFE & EASY** to compress in minutes.

Decrease labour time & increase productivity and efficiencies.

INCREASE WORKPLACE SAFETY.

Undertake jobs that are currently too difficult.



BONUS OFFER
INCLUDES WSM4 plus WSMP50

Workshop Mate 18 Piece Sleeve Kit

18 Piece Sleeve Set includes: 28x20x80mm; 33x25x80mm; 38x30x80mm; 43x35x80mm; 48x40x80mm; 53x45x80mm; 58x50x80mm; 63x55x80mm; 68x60x80mm; 73x65x80mm; 78x70x80mm; 83x75x80mm; 88x80x80mm; 93x85x80mm; 98x90x80mm; 103x95x80mm; 108x100x80mm; 113x105x80mm

18 sleeves constructed from heat-treated forged carbon steel.
Sturdy metal carry case.
Designed and engineered to work as an added accessory to all current Workshop Mate Workstations.

WSMP50

GREAT
WORKSHOP MATE
ACCESSORY

 **WORKSHOP MATE**
THE MECHANICS WORKSTATION

\$389.00 EXC GST
\$427.90 INC GST



*Workshop Mate is designed for
Front Struts, Rear Axles,
4x4 Struts, Bushes & Ball Joints,
Hubs & Wheel Bearings*



**30,000kg
Capacity**

Visit our webpage
www.tqbbrands.com.au
for more specifications
and images

BONUS OFFER
FREE WSM50 WITH
EVERY WSM4 ORDERED
VALUED AT
\$389 PLUS
GST

\$8,299.00 EXC
GST
\$9,128.90 INC
GST

PRODUCT CODE
WSM4

*FREIGHT
RATES WILL
APPLY



Scan code for
online product
demonstration

*NOTE: ADDITIONAL TOOLING MAY BE
REQUIRED FOR SOME APPLICATIONS

TRANSFORM THE WORKSHOP



Bench Vices Fixed or Swivel with Anvil



MADE FOR THE TRADE

FEATURES

Quality cast iron body with steel screw and handle. Made of tough cast iron, this TradeQuip bench vice has forged steel jaws to grip & keep your workpiece steady. The large anvil is perfect for shaping and fabrication work.



from
\$149.00 EXC GST
\$163.90 INC GST

Reinforced mounting lugs

Code	7000T	7001T	7002T	7003T	7004T	7005T
Vice type	Fixed	Fixed	Fixed	Swivel	Swivel	Swivel
Jaw Width	125mm	150mm	200mm	125mm	150mm	200mm
Jaw Opening	130mm	150mm	170mm	140mm	170mm	220mm
Throat Depth	69mm	76mm	88mm	76mm	86mm	110mm
Anvil Size	85x90mm	100x105mm	105x105mm	106x106mm	127x127mm	147x147mm
Excl. GST	\$149	\$199	\$269	\$218	\$319	\$439
Incl. GST	\$163.90	\$218.90	\$295.90	\$239.80	\$350.90	\$482.90

Multi-Purpose Bench Vice with Pipe Jaws 150MM



Jaw width: 150mm
 Jaw opening: 140mm
 Throat depth: 80mm
 Anvil size: 80x65mm

FEATURES

Body of rugged quality malleable cast iron. Forge hardened steel serrated jaws. Precision machined steel screw and handle. Reinforced mounting lugs. Versatile 360° Swivel base locks in place. Jaws rotate 360° and lock for unlimited positioning. Holds flat stock as well as round stock with the built-in pipe jaws. Large hardened anvil work surface.

Jaws rotate 360°

\$389.00 EXC GST
\$427.90 INC GST



360° Swivel Base

Reinforced mounting lugs

MADE FOR THE TRADE

NOT INTENDED FOR SPRING COMPRESSING & BEARING, SLEEVE OR BUSHING PRESSING


Bench Offset Vice 150MM



Jaw width: 150mm
 Jaw opening: 140mm
 Throat depth: 103mm
 Weight: 21kg

\$388.00 EXC GST
\$426.80 INC GST

MADE FOR THE TRADE



FEATURES

Offset jaws allow the workpiece to be held in a vertical position. Fixed offset base - right hand. Solid fabricated steel construction. Precision machined screw & handle.

Commercial Bench Vice Swivel with Anvil 150MM



Jaw width: 150mm
 Jaw opening: 150mm
 Throat depth: 105mm
 Anvil size: 90x105mm

INDUSTRIAL QUALITY

SG IRON



360° Swivel Base

\$435.00 EXC GST
\$478.50 INC GST

Commercial Bench Vice Swivel with Anvil 200MM



Jaw width: 200mm
 Jaw opening: 200mm
 Throat depth: 115mm
 Anvil size: 100x113mm

INDUSTRIAL QUALITY

SG IRON



360° Swivel Base

\$599.00 EXC GST
\$658.90 INC GST

Steel Workbench

1014T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 90kg
Work surface: 1510x700mm
Raised edge height: 50mm
1520L x 710W x 830Hmm
Weight: 48kg

FEATURES

Sturdy steel construction.
High gloss enamel paint finish.
Raised protective edge to work surface.
Adjustable feet for levelling on uneven floors.
Quick and easy to assemble.
Easily wipe dirt and grime from surface with a soft cloth.



3 Drawer Steel Workbench

1012T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 300kg
Heavy duty steel construction
High gloss enamel paint finish
Includes bottom shelf & 3 locking drawers
Each drawer holds up to 50kg
2000L x 860H x 640Wmm

FEATURES

Manufactured from high quality, heavy-duty steel and features a large surface for more work space and an extended lip around the surface of the table.
The tough high gloss enamel paint finish is designed to provide years of protection against normal wear and tear.



Mobile Workbench

6047 **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 250kg
Bench top capacity: 150kg
Bench top: 1200L x 640Wmm
1200L x 640W x 875H mm
Shelf: 1110L x 460Wmm
Shelf capacity: 100kg
Weight: 56.5kg



\$739.00 EXC GST
\$812.90 INC GST

FEATURES
Heavy duty rolled edge steel construction.
Convenient removable drain bowl.
13mm benchtop rim to contain leaking fluids when working on engines and transmissions.
Quality castors (2 swivel with brake).
Lockable steel drawer with ball bearing slides.
High gloss enamel finish.



Mobile Bench

1073T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 300kg
Work surface: 1100 x 700mm
1100L x 700W x 830H mm
Weight: 60kg

FEATURES

Sturdy steel construction.
High gloss enamel finish. Heavy-duty handle.
Quality castors - two fixed & two locking swivel.



22 Bin Parts Storage Rack

6053 **TRADEQUIP**
The trusted brand in equipment

Working load capacity: 100kg
15 parts bins: 345x105x75mm (3kg load capacity)
4 parts bins: 345x140x150mm (5kg load capacity)
3 parts bins: 345 x 205 x 150mm (8kg load capacity)
Swivel castor diameter: 100mm
880L x 410W x 950H mm



\$429.00 EXC GST
\$471.90 INC GST

FEATURES

Sturdy five-tier steel powder coated rack.
Zinc plated wire shelving with bin locating guides.
Quick & easy clip together adjustable shelves.
Stackable bins made of moulded polypropylene.
Ideal for garage, workshop, office, shed.
Powder coat frame resists corrosion.
Quality swivel castors (2x lockable).
Convenient access to removable bins.



36 Bin Parts Storage Rack

6054 **TRADEQUIP**
The trusted brand in equipment

Working load capacity: 200kg
15 parts bins: 345x105x75mm (3kg load capacity)
12 parts bins: 345x140x150mm (5kg load capacity)
9 parts bins: 345 x 205 x 150mm (9kg load capacity)
Swivel castor diameter: 100mm
880L x 410W x 1705Hmm



\$689.00 EXC GST
\$757.90 INC GST

FEATURES

Sturdy nine-tier steel powder coated rack.
Zinc plated wire shelving with bin locating guides.
Quick & easy clip together adjustable shelves.
Stackable bins made of moulded polypropylene.
Ideal for garage, workshop, office, shed.
Powder coat frame resists corrosion.
Quality swivel castors (2x lockable).
Convenient access to removable bins.



Workshop Trolley 3 Tier **eQuipt**

E18-0140

eQuipt
TOOLS & EQUIPMENT designed to DELIVER



200kg Capacity

NEW ARRIVAL

\$249.00 EXC GST
\$273.90 INC GST

Safe working capacity: 200kg (66kg/shelf)
Smooth rolling rubber castors 5" 900L x 410W x 830Hmm

FEATURES

Will not dent, rust or chip.
Three deep shelves for plenty of storage.
Convenient push handle. 4 swivel wheels.
Cleans easily and no painting required.
Virtually maintenance free.

SUPER STRONG POLYMER

Workshop Trolley (Polymer)

6044T **TRADEQUIP**

Safe working capacity: 226kg (113kg/shelf)
Top tray: 778L x 415W x 63Hmm
Tray capacity: 113kg (each)
Smooth rolling rubber castors: 125D x 25Wmm
Ground clearance: 140mm
Weight: 14kg



226kg Capacity

\$249.00 EXC GST
\$273.90 INC GST

SUPER STRONG POLYMER

FEATURES

Two deep shelves for plenty of storage.
Will not dent, rust or chip. Convenient push handle.
Two swivel and two fixed smooth rolling rubber castors.
No painting required. Cleans easily. Virtually maintenance free.

Workshop Trolley (Polymer)

6045 **TRADEQUIP**

Safe working capacity: 226kg (75kg/shelf)
3 x 100mm deep shelves
125x30mm smooth rolling rubber swivel castors
75kg tool tray capacity
875L x 430W x 830Hmm



226kg Capacity

\$275.00 EXC GST
\$302.50 INC GST

SUPER STRONG POLYMER

FEATURES

Deep shelves for plenty of storage.
Will not dent, rust or chip. Convenient push handle.
Two swivel and two fixed smooth rolling rubber castors.
No painting required. Cleans easily. Virtually maintenance free.

Workshop Trolley 2 Tool Trays & 1 Drawer

6012T **TRADEQUIP**

Safe working capacity: 100kg
One lockable drawer
100mm composite rubber castors
Two 100mm deep shelves
770L x 370W x 830Hmm



100kg Capacity

\$269.00 EXC GST
\$295.90 INC GST

FEATURES

Heavy gauge steel construction.
Quality 35mm ball bearing slide drawer.
Side handle for comfort and control.
Tough enamel finish.

Workshop Trolley (Polymer)

6046 **TRADEQUIP**

The trusted brand in equipment



226kg Capacity

SUPER STRONG POLYMER

\$379.00 EXC GST
\$416.90 INC GST

Safe working capacity: 226kg (85kg/shelf; 56kg/Parts Bins)
8 Parts bins 241x152x127mm
24 Parts bins 165x101x76mm
125x30mm rubber swivel castors
85kg tool tray capacity
1000L x 435W x 850Hmm

FEATURES

Deep shelves give you plenty of storage for your tools and parts.
Will not dent, rust or chip.
Convenient push handles.
No painting required. Cleans easily.

Includes 32 Parts Bins

MADE FOR THE TRADE

Workshop Trolley (Polymer)

6042T **TRADEQUIP**

Safe working capacity: 226kg (113kg/shelf)
Smooth rolling rubber castors: 125D x 25Wmm
Tray: 900L x 600W x 65Hmm
Tray capacity: 113kg (each)
Ground clearance: 140mm
Weight: 22kg



226kg Capacity

\$339.00 EXC GST
\$372.90 INC GST

SUPER STRONG POLYMER

FEATURES

Two deep and wide shelves for plenty of storage.
Convenient push handle. Virtually maintenance free.
Two swivel and two fixed smooth rolling rubber castors.
Will not dent, rust or chip. No painting required. Cleans easily.

Workshop Trolley (Polymer)

6043T **TRADEQUIP**

Safe working capacity: 226kg (75kg/shelf)
Smooth rolling rubber castors: 125D x 25Wmm
Tray capacity: 76kg (each)
Tray: 900L x 600W x 65Hmm
Ground clearance: 140mm
Weight: 33.5kg



226kg Capacity

\$389.00 EXC GST
\$427.90 INC GST

SUPER STRONG POLYMER

FEATURES

Three deep and wide shelves for plenty of storage.
Convenient push handle. Virtually maintenance free.
Two swivel and two fixed smooth rolling rubber castors.
Will not dent, rust or chip. No painting required. Cleans easily.

Workshop Trolley 3 Tool Trays

6004 **TRADEQUIP**

Safe working capacity: 150kg (50kg/shelf)
Powder coated .6mm steel
100mm composite castors
845L x 410W x 780Hmm



150kg Capacity

\$179.00 EXC GST
\$196.90 INC GST

FEATURES

This three shelf workshop tool trolley is durable enough for moving tools and car parts.
Deep shelves give you plenty of storage for your tools and parts.

MADE FOR THE TRADE

Mobile Workshop Table

6024T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 45kg
Working height: 930-1270mm
Caster wheel diameter: 75mm
Top dimensions: 809L x 475W x 42Hmm
Main tray dimensions: 580L x 308W x 38Hmm
Overall dimensions: 870L x 755W x 942Hmm
Weight: 19.5kg

FEATURES

The Heavy Duty steel construction. Easily handles loads up to 45kg. Solid composite rubber castors. Simple height adjustment gives you plenty of options for lowered cars or SUV's.



\$365.00 EXC GST
\$401.50 INC GST

Mobile Workshop Table with Drawer

6056T **TRADEQUIP**
The trusted brand in equipment

340x300x45mm drawer
Adjustable from 860-1200mm high
Includes drawer and top tray liner
80kg Distributed load capacity
730x500x25mm top tray

FEATURES

Height adjustable for most vehicles.
Ball Bearing wheels for easy moving.
Multi-functional top table with 3 compartments and 6 screwdriver holes.
Top EVA mat for skid resistance.
Extra drawer for more storage room.



\$269.00 EXC GST
\$295.90 INC GST

Truck Mobile Workshop Table

BORUM
INDUSTRIAL WORKSHOP EQUIPMENT

Safe working capacity: 34kg
Adjustable working height: 960-1500mm
Distance between front casters: 955mm
Caster wheel diameter: 75mm
Table top: 797L x 695W
Main tray: 556L x 695W
Depth at full width: 485mm
Includes top tray liner

INDUSTRIAL QUALITY

FEATURES

Height adjustable to most commercial vehicles.
Smooth rolling casters.
Extra wide legs to suit commercial vehicles.
Multi-functional top table with 2 compartments and 8 screwdriver holes.
Top EVA mat for skid resistance.
Protective bumper for top tray.
Strong tubular steel construction.
Sturdy main support post.



THE HEIGHT ADJUSTMENT GIVES YOU PLENTY OF OPTIONS FOR LARGER VEHICLES AND TRUCKS.

Workshop Trolley 2 Drawers & Lockable Sliding Top

6019T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 100kg
Two lockable drawers & top
100mm composite rubber castors
Two 75mm deep shelves
700L x 370W x 760Hmm

\$385.00 EXC GST
\$423.50 INC GST

MADE FOR THE TRADE

FEATURES

Heavy gauge steel construction with lockable sliding top.
Quality 35mm ball bearing sliding drawers, which are locked when top is closed.
Side handle for comfort/control when moving.
Tough enamel finish.
Non slip rubber tool tray liners.



Workshop Trolley Single Drawer

6020T **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 155kg
Lockable drawer: 635L x 320W x 80Hmm
Top storage tray: 695L x 405W x 65Hmm
Lower storage tray: 750L x 395W x 68Hmm
Rubber castors: 100Dmm
775L x 415D x 890Hmm

\$379.00 EXC GST
\$416.90 INC GST

155kg Capacity

MADE FOR THE TRADE

FEATURES

Heavy gauge steel construction with lockable drawer on smooth runners.
Two top mounted handles for added control when manoeuvring.
Tough enamel finish.
Non slip EVA foam tool tray liner.
Two heavy-duty locking swivel casters for control and maneuverability.
Large top & bottom shelf giving extra clearance.



Workshop Trolley 4 Drawers with Lockable Top

6052 **TRADEQUIP**
The trusted brand in equipment

Safe working capacity: 260kg
4 lockable drawers on 35mm ball bearing slides
Two 75mm deep shelves for plenty of storage (one lockable)
Top 2 drawers (each): 310W x 370D x 50Hmm
Middle drawer: 680W x 370D x 70Hmm
Large drawer: 660W x 370D x 100Hmm
Two swivel and two fixed 100mm smooth rolling composite rubber castors.
850L x 445D x 972Hmm

\$469.00 EXC GST
\$515.90 INC GST

MADE FOR THE TRADE

FEATURES

Heavy gauge steel construction with lockable sliding top on smooth ball bearing runners.
Quality ball bearing slide drawers, that lock when top is closed.
Side handle for comfort and control when manoeuvring.
Tough high gloss enamel finish.
Non slip rubber tool tray liners.
Heavy-duty ergonomic grip handle.
Two heavy-duty locking castors for control and stability.



Self-Evacuating Oil Drainer 65 Litre

1046T **TRADEQUIP**
The trusted brand in equipment

Capacity: 65 Litres
Working height: 1080-1650mm
Discharge pressure: 12psi
Telescopic adjustment
Air inlet: 1/4" BSP
1650H x 600L x 390Wmm
Weight: 23kg

AIR OPERATED

MADE FOR THE TRADE

TELESCOPIC COLLECT STORE/CARRY DISCHARGE

Air pressure relief valve

FEATURES
Collect, transfer, evacuate used engine oils, transmission fluids, power steering fluids etc. Top quality heavy-gauge steel collection tank with adjustable telescopic drain pan. Offset drain bowl and Tank oil level indicator. Air pressure relief valve prevents. Sturdy rubber front wheels and ball bearing-mounted rear castors provide stability and easy manoeuvrability. Lead-free paint is oil, grease and dirt-resistant. Oil, heat, ozone and abrasion resistant hose.

\$429.00 EXC GST
\$471.90 INC GST



Under-Hoist Oil Drainer 20 Litre

E19-0080 **eQuipt**
TOOLS & EQUIPMENT Designed to DELIVER

Bowl capacity: 20 Litres
Bowl dimension: 515L x 515H x 230Hmm
Height: Min. 1215 - Max. 2015mm
Size of hole in bowl to fit standard - 38ID (internal dimension)
Weight: 10kg

NEW ARRIVAL



\$189.00 EXC GST
\$207.90 INC GST

FEATURES
Simple waste oil, coolant & ATF disposal system. Square lightweight polymer drain bowl. Telescopic height adjustment with positive lock. Sturdy dependable base. Adaptor for emptying oil into bulk waste oil tanks.



Truck Fluid Drain Pan with Hand Pump 65 Litre

1147T **TRADEQUIP**
The trusted brand in equipment ***MODEL RUNOUT***

Lightweight high-impact polypropylene. Oil and coolant resistant. Manoeuvrable 4" castors
Tank size: 1300x730x200mm

LIGHT WEIGHT POLYMER

MADE FOR THE TRADE

FEATURES
Lightweight high-impact polypropylene. Suitable for engine oil, coolant and transmission fluid. Built-in rotary hand discharge pump. Removable metal filter screen. Smooth rolling rubber castor wheels.



Built-in rotary hand discharge pump



\$449.00 EXC GST
\$493.90 INC GST

Removable metal filter screen

Truck Fluid Drain Pan 60 Litre

1146T **TRADEQUIP**
The trusted brand in equipment

Capacity: 60 Litres
Minimum height: 200mm
Enamel steel construction
Oil and coolant resistant
Size: 1174 x 641 x 200mm
Front swivel castors

MADE FOR THE TRADE



FEATURES
Enamelled steel construction. Oil and coolant resistant. Removable metal screen. Two front swivel castors. Two rear fixed wheels. Brass drain valve. Transfer pump coupling. Grab handle.

\$299.00 EXC GST
\$328.90 INC GST

Removable metal filter screen



Truck Fluid Drain Pan 95 Litre

1145T **TRADEQUIP**
The trusted brand in equipment

Capacity: 95 Litres
Minimum height: 270mm
Size: 1120L x 750W x 270Hmm

Handle can also be mounted here

FEATURES
Enamelled steel construction. Oil and coolant resistant. Removable metal screen. Four swivel wheels, two which are braked. Handle can be mounted to front or side. Drain valve & Grab handle.

Removable metal filter screen



MADE FOR THE TRADE

\$409.00 EXC GST
\$449.90 INC GST

Parts Washer 90 Litre

1003T **TRADEQUIP**
The trusted brand in equipment

Pump power: 240V/50Hz/0.5A
Pump output: 2.7-3.3 Litres per min.
Tank: 758L x 527W x 275Hmm
Minimum fluid capacity: 18 Litres
Maximum fluid capacity: 45 Litres
Size: 780L x 540W x 908Hmm



WARNING
Do Not use cleaning fluids with a flashpoint

\$289.00 EXC GST
\$317.90 INC GST

FEATURES

Sturdy metal construction and quality enamelled gloss finish.
Enclosed "High Volume" electric pump & fully screened pump housing.
Built-in replaceable pump inlet filter.
Chromed flexible metal fluid delivery pipe.
Large removable parts cleaning shelf for inspection and drying.
Immersion soaking when parts cleaning shelf removed.
Non welded one-piece tank with Quick Close fire safe lid mechanism.
Suitable for use with aqueous water based cleaning fluids.
Replacement parts available.

Parts Washer 180 Litre

1004T **TRADEQUIP**
The trusted brand in equipment

Pump power: 240V/50Hz/0.5A
Pump output: 2.7-3.3 Litres per min.
Tank: 1135L x 545W x 320Hmm
Min. fluid capacity: 33 Litres
Max. fluid capacity: 90 Litres
Size: 1150L x 560W x 1430Hmm



WARNING
Do Not use cleaning fluids with a flashpoint

\$469.00 EXC GST
\$515.90 INC GST

FEATURES

Sturdy metal construction and quality enamelled gloss finish.
Enclosed "High Volume" electric pump & fully screened pump housing.
Built-in replaceable pump inlet filter.
Chromed flexible metal fluid delivery pipe.
Large removable parts cleaning shelf for inspection and drying.
Immersion soaking when parts cleaning shelf removed.
Non welded one-piece tank with Quick Close fire safe lid mechanism.
Suitable for use with aqueous water based cleaning fluids.
Replacement parts available.

Parts Washer Brush & Hose

1806 **TRADEQUIP**
The trusted brand in equipment

Long life 70mm synthetic bristles
Polypropylene handle
Stepped hose fitting suitable for connecting to 13mm and 16mm spouts
Suits TradeQuip parts washers
1003T, 1004T & 1050



\$28.00 EXC GST
\$30.80 INC GST

WARNING: ONLY SUITABLE FOR USE WITH WATER BASED SOLUTIONS

Stiff bristles are ideal for cleaning automotive and machined parts

Parts Cleaning Concentrate

10 & 20 Litre **TRADEQUIP**
The trusted brand in equipment



- ✓ ENVIRO FRIENDLY
- ✓ BIODEGRADABLE
- ✓ NON-TOXIC

FORMULATED FOR USE IN ALL TRADEQUIP PARTS CLEANERS

Code	5083T	5082T
Bottle contents	10 Litres	20 Litres
Creates	50 Litres	100 Litres
Exl. GST	\$89	\$145
Incl. GST	\$97.90	\$159.50



from **\$89.00** EXC GST
\$97.90 INC GST

Replacement Parts Washer Pump

1005 **TRADEQUIP**
The trusted brand in equipment

Power: 230V 50Hz 26W 0.6Amp
Cable length: 305mm
Head max: 1.8m
Flowrate: 3.15 litres per minute
Outlet thread: 1/2" NPT Female
100L x 85H x 65W mm

WARNING: ONLY SUITABLE FOR USE WITH WATER BASED SOLUTIONS



\$85.00 EXC GST
\$93.50 INC GST



FEATURES

Sturdy poly/plastic body. Stainless steel shaft.
Suits parts washers with chromed flexible metal fluid delivery pipes.
Snap off inlet grill for easy cleaning.
Suitable for use with aqueous water based cleaning fluids.
Works with TradeQuip parts washers (Code/s 1003T, 1004T and 1050, sold separately)

DESIGNED FOR AUTOMOTIVE & INDUSTRIAL APPLICATION

DON'T BE FOOLED BY CHEAPER IMITATIONS THAT ARE DESIGNED FOR DENTISTRY, MODEL BUILDING, OPTOMETRY & LIGHTER DUTIES

6 Litres **TRADEQUIP** *The trusted brand in equipment*

Capacity: 6 Litres
 Ultrasonic power: 150W
 Ultrasonic frequency: 40KHz
 Heating power: 300W
 Heating temperature: 20-80 C
1036T

Timer range: 0-30 Minutes
 Tank material: 304 Grade 2mm thick
 Tank size: 300L x 155W x 150Hmm
 Size: 330L x 180W x 310Hmm

13 Litres **TRADEQUIP** *The trusted brand in equipment*

Capacity: 13 Litres
 Ultrasonic power: 300W
 Ultrasonic frequency: 40KHz
 Heating power: 400W
 Heating temperature: 20-80 C
1037T

Timer range: 0-30 Minutes
 Tank material: 304 Grade 2mm thick
 Tank size: 330L x 300W x 150Hmm
 Size: 360L x 330W x 310Hmm

MADE FOR THE TRADE

- * 30 Minute Timer
- * Adjustable Temp. Control
- * 304 Grade Stainless Steel Tank



27 Litres **TRADEQUIP** *The trusted brand in equipment*

Capacity: 27 Litres
 Ultrasonic power: 500W
 Ultrasonic frequency: 40KHz
 Heating power: 500W
 Heating temperature: 20-80 C
1038T

Timer range: 0-30 Minutes
 Tank material: 304 Grade 2mm thick
 Tank size: 500L x 300W x 200Hmm
 Size: 550L x 330W x 360Hmm

CLEANING FLUID OPTION AVAILABLE SEE PAGE 35

MADE FOR THE TRADE

- * 30 Minute Timer
- * Adjustable Temp. Control
- * 304 Grade Stainless Steel Tank



36 Litres **TRADEQUIP** *The trusted brand in equipment*

Capacity: 36 Litres
 Ultrasonic power: 600W (adjustable)
 Ultrasonic frequency: 28/40KHz
 Heating power: 800W
 Heating temperature: 20-80 C
1039T

Timer range: 0-30 Minutes
 Tank material: 304 Grade 2mm thick
 Tank size: 500L x 290W x 250Hmm
 Size: 570L x 360W x 450Hmm

FEATURES

Tradequip "Made for the Trade" Ultrasonic Parts Cleaners make it easy to clean items like carbies, calipers, nuts & bolts, most small metal parts - even jewelry. Just fill the cleaner with water, mix with the appropriate ultrasonic cleaning additive (sold separately), set the timer and walk away to get on with another job. The ultrasonic cleaner works with or without heat and provides deep cleaning using ultrasound technology and water. The adjustable temperature and timer gives you a variety of cleaning performance options.



LARGER SIZES AVAILABLE FOR SPECIAL ORDER. PLEASE ENQUIRE WITH YOUR PREFERRED DISTRIBUTOR.

Blasting Cabinet 220 Litre Capacity

3051 **TRADEQUIP**
The trusted brand in equipment

Cabinet capacity: 220 Litre
Working pressure: 60-110psi
Maximum media capacity: 20kg
4 Ceramic nozzle tips: 4, 5, 6 & 7mm
With gun & low voltage internal fluorescent light
Tempered glass view window: 250 x 525mm
External size: 1400H x 890L x 550Wmm

MADE FOR THE TRADE

Suitable for use with workshop vacuum

Includes gun and light



220 LITRE Capacity

FEATURES

Freestanding floor model.
Complete with gun and low voltage internal fluorescent light.
Tempered glass viewing window with protective shields.
Cabinet fitted and ready to be used with a workshop vac as dust collection system.
Spare parts available in Australia.



\$849.00 EXC GST
\$933.90 INC GST

Blasting Cabinet 420 Litre Capacity

3036T **TRADEQUIP**
The trusted brand in equipment

Cabinet capacity: 420 Litre
Air regulator & gauge panel
4 Ceramic nozzles: 2x5mm, 2x6mm
Maximum media capacity: 70kg
Maximum air pressure: 125psi
Required air supply: 15-25CFM
14 gauge steel legs & 16 gauge panels
Sand blasting efficiency: 100cm²/min
Optimum operating pressure 60-110psi
External size: 1680H x 1180W x 940Dmm



Oversized hinged top door opening
Includes 240V dust extraction system



Includes blasting gun and vinyl blaster gloves



\$2,499.00 EXC GST
\$2,748.90 INC GST

FEATURES

Perfect for surface preparation on any type where other forms of preparation are difficult.
Ideal for removing paint, rust, scale and oxidation.
Large viewing window gives the operator a wide viewing area.
Oversized hinged top door opening & large inside work area allows easy maneuverability.
Hinged door on hopper allows for easy abrasive changes.
Fluorescent light kit and 90CFM dust collector help the operator to maintain a good visual.
Rear-mounted dust collector.
Replaceable protective window. Foot-pedal-controlled siphon blast gun.

MADE FOR THE TRADE

Soda/Sand Blasting Hood

3053 **TRADEQUIP**
The trusted brand in equipment

Durable fabric & synthetic-leather construction
Large 110mm x 55mm acrylic viewing plate
Adjustable internal helmet for added comfort
Reinforced side ventilation panels for increased airflow

FEATURES

Protect eyes and face from "rebounding" abrasive particles by wearing Abrasive Blasting Hood. Ideal for many abrasive-blasting applications.

\$55.00 EXC GST
\$60.50 INC GST



BLASTING MEDIA ABRASIVE

TradeQuip "Made for the Trade" Blasting Media Abrasives are designed for use in conjunction with our TradeQuip Mobile Blasting Kits and Blasting Cabinets. Abrasive blasting has been used for many years to clean and remove rust, paint and corrosion. There are many types of abrasive media available, the most common being Garnet, Steel Grit and Glass Bead. These media have an aggressive cut and can rapidly remove paint and rust. However, they can also generate significant heat, potentially resulting in warped metal and etched surfaces, and they cannot be used on fiberglass. Also, chrome, plastic, rubber, trim, and other parts must be removed from a work surface or masked-off before blasting. Alternatively, less-aggressive media, such as Walnut Shell, will do a great job at removing paint. Walnut Shell does not generate as much heat as other media, and can be used on sheet metal and fiberglass without damaging the base material. However, Walnut Shell as with any abrasive media, will require more clean-up as it leaves particles in the car body's seams and crevices that can be difficult to completely remove. Soda blasting media has non abrasive properties which makes it a very universal blasting media which can be applied to lighter materials such as aluminium, plastic, fiberglass, wood etc. Soda Blasting does not damage glass, rubber, chrome items if they are left on a vehicle for blasting.

GARNET 25KG MEDIUM 30/60

3020T **TRADEQUIP**
The trusted brand in equipment

Garnet is a gemstone with excellent naturally abrasive properties. This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive.



\$62.00 EXC GST
\$68.20 INC GST

WALNUT SHELLS 20KG 6-100 MICRON

3022T **TRADEQUIP**
The trusted brand in equipment

Walnut Nut shells and other organic materials, don't cause anchor patterns, making them useful for removing dirt, grease, oil, carbon, scale, burrs and paint without changing the underlying substrate. Walnut shells can be an excellent choice for softer surfaces such as wood — they won't cause etching. Walnut shells are one of less abrasive blasting media you can use and are completely biodegradable, making them among the most environmentally-friendly blasting media.



\$169.00 EXC GST
\$185.90 INC GST

GARNET 25KG COARSE 20/40

3023T **TRADEQUIP**
The trusted brand in equipment

Garnet is a gemstone with excellent naturally abrasive properties. This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive.



\$65.00 EXC GST
\$71.50 INC GST

GLASS BEAD 25KG 106-300MICRON

3025T **TRADEQUIP**
The trusted brand in equipment

Glass beads are used for general cleaning, peening and cosmetic finishing of sensitive metal surfaces; removing automotive paint; brightening grout and removing fungus and calcium deposits from tile; polishing cast iron, stainless steel, aluminium, propellers and turbine blades. Glass Beads are environmentally friendly and can be used in many blast applications to provide a finish with no profile. Use while working with metal, plastic or rubber materials to clean, debur and finish.



\$99.00 EXC GST
\$108.90 INC GST

Mobile Blasting Kit 37 Litre Capacity

3008 **TRADEQUIP**
The trusted brand in equipment

Tank capacity: 37 Litre
Working pressure: 60-125psi
Air delivery: 400-600 Ltr p/min. @ 125psi (dependent on nozzle size)
4 ceramic nozzle tips: 2.0 2.5 3.0 3.5mm
Hose length: 2.4M
508H x 305Ø



SCAN FOR CORRECT SET-UP GUIDE

MADE FOR THE TRADE

\$315.00 EXC GST
\$346.50 INC GST

FEATURES

Heavy duty welded steel design.
High volume extra large valve.
Designed for high flow with minimal air input.
Blast gun fitted with safety trigger.
Heavy-wall blast hose. Durable wheels.
Safety pressure-relief valve.
Safety mask, thread tape and refill funnel.
Onboard pressure regulator.
Easy to fill screw tank cap.



37 LITRE Capacity

ALL BORUM DRILL PRESSES FEATURE

Flexible worklight. Engineering style work table.
Oversize micro-switch activated safety guard.
Low-noise belt drive with cast iron balanced pulleys.
Safety ON-OFF switch fitted with a dust cover and positive action push buttons plus a large (Red) self locking "Emergency Stop" hinge cover.
Precision spindle bearing for long life & high accuracy.
Table control via hand crank and gear rack with high load capacity.
Long quill stroke, easy to adjust depth stop at the capstan handle.
Thick-walled, precision-ground column for extra rigidity.
Powerful long-life commercial drive motor provides high reliability.
Ground set-up areas on table and base plate.
Solid rotating work table with diagonal clamping slots.

**The same reliable
'Heavy Duty Industrial
Quality Drill Presses'
since we started
manufacturing them in
1984... but with
the benefit of some
21st Century features**



3/4HP Pedestal Drill Press 16 Speed


CH16NFT **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Motor: 240Volt 3/4HP
Number of speeds: 16
Spindle taper: MT2
Spindle speeds: 162-3000rpm
Max. drilling capacity: 16mm
Max. spindle stroke: 78mm
Max. distance spindle to table: 7810mm
Max. distance spindle to base: 1219mm
Chuck: 16mm
Swing: 535
Size of table: 473x410mm
Diameter of column: 73mm
Size of base: 450x265mm
Overall height: 1588mm

**INDUSTRIAL
QUALITY**

**Max.
DRILL
CAPACITY
16mm**

**\$1,059.00 EXC
GST**
**\$1,164.90 INC
GST**



Overall height: 1588mm



1HP Pedestal Drill Press 16 Speed

CH18FT **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Motor: 240Volt 1HP
Number of speeds: 16
Spindle taper: MT2
Spindle speeds: 200-3160rpm
Max. drilling capacity: 20mm
Max. spindle stroke: 82mm
Max. distance spindle to table: 775mm
Max. distance spindle to base: 1270mm
Chuck: 16mm
Swing: 430mm
Table diameter: 350mm
Diameter of column: 80mm
Size of base: 460x270mm
Overall height: 1625mm

**Max.
DRILL
CAPACITY
20mm**

**\$1,529.00 EXC
GST**
**\$1,681.90 INC
GST**

**INDUSTRIAL
QUALITY**

Overall height: 1625mm



**LIMITED
STOCK**

2HP Pedestal Drill Press 12 Speed

CH30T **BORUM**
INDUSTRIAL WORKSHOP EQUIPMENT

Motor: 240Volt 2HP
Number of speeds: 12
Spindle taper: MT4
Spindle speeds: 210-2160rpm
Max. drilling capacity: 32mm
Max. spindle stroke: 122mm
Max. distance spindle to table: 720mm
Max. distance spindle to base: 1230mm
Chuck: 16mm
Swing: 535
Size of table: 473x410mm
Diameter of column: 92mm
Size of base: 572x495mm
Overall height: 1780mm

**Max.
DRILL
CAPACITY
32mm**

**\$2,609.00 EXC
GST**
**\$2,869.90 INC
GST**

**INDUSTRIAL
QUALITY**

Overall height: 1780mm



**LIMITED
STOCK**



Scan code to go to our Top Tips guides and learn how to extend the life of your TQB Brands equipment

Visit our webpage
www.tqbbrands.com.au
for instructional & pre-start videos.

Motorcycle Lifter 360KG

2102T **TRADEQUIP**
The trusted brand in equipment.

Safe working capacity: 360kg
Height: 205 - 780mm
Platform: 490W x 1345Lmm
Weight: 95kg

MADE FOR THE TRADE



\$899.00 EXC GST
\$988.90 INC GST

Motorcycle Scissor Lift 500KG

2104T **TRADEQUIP**
The trusted brand in equipment.

Safe working capacity: 500kg
Height: 95 - 420mm
Platform dimensions: 450x150mm
Weight: 13.8kg

MADE FOR THE TRADE

\$175.00 EXC GST
\$192.50 INC GST



FEATURES

Designed to deliver the ideal lift for use with motorcycles, ATV's, tractors, personal watercraft, and snowmobiles.
Lifts back wheel off lift table for tyre/wheel change.
Powder coated structural heavy duty steel construction.
Rotate lead screw to adjust & raise the lift.
Bolt down lugs to prevent unwanted movement.

Motorcycle Lifter 450KG

2101T **TRADEQUIP**
The trusted brand in equipment.

Safe working capacity: 450kg
Height: 175 - 750mm
Platform: 680W x 2200Lmm
Weight: 120kg

MADE FOR THE TRADE

\$1,189.00 EXC GST
\$1,307.90 INC GST



FEATURES

Ideal lift for use with motorcycles, ATV's, tractors, personal watercraft & snowmobiles.
Locking bar for safety.
Powder coated structural heavy duty steel.
Extra Long Full width loading ramp.
Step-less rate of lowering irrespective of load.
Oil trap plate for easy drainage.
2 foot pedals for raising & lowering - for easy hands free operation.
Fitted with 2 position platform locking device to prevent accidental lowering.
Quality wheels and swivel castors making it easier to position and move around.
Lockdown bolts to prevent unwanted movement during use.
Does not include tie down straps.

Motorcycle Lifter Air Actuated 680KG

2103T **TRADEQUIP**
The trusted brand in equipment.

Safe working capacity: 680kg
Height: 185 - 825mm
Platform dimensions: 710 x 2000mm
Required air pressure: 0.75-0.85Mpa
Weight: 169kg

680kg Capacity

OPTIONAL EXTRA

Side Extensions
2103T-EXT



\$1,999.00 EXC GST
\$2,198.90 INC GST

MADE FOR THE TRADE



FEATURES

Designed to deliver the ideal lift for use with motorcycles, ATV's, tractors, personal watercraft, and snowmobiles.
Locking bar for safety.
Extra long full width loading ramp.
Powdercoated structural heavy duty steel.
Stepless rate of lowering irrespective of the load.
Oil trap plate for easy drainage.
Lockdown bolts.
2 foot pedals for raising & lowering - for easy hands free operation.
Fitted with 2 position platform locking device.

ABOUT EAGLE PRO HYDRAULICS

With nearly 3 decades experience of manufacturing hydraulic tools for industrial applications, Eagle Pro Hydraulics has become the trusted partners for applications spanning from offshore plant maintenance to mining, infrastructure, commercial and industrial. Eagle Pro Hydraulics are manufactured to ISO 9001:2018 through international quality assurance programs which involve consistent observation of administration, management, manufacturing and production control. Eagle Pro hydraulic cylinders meet or exceed ANSI B30.1. This results in reliable and dependable high-quality products you can count on every time.

ES SERIES

Single Acting General Purpose

Eagle Pro ES series redefines durability for the harshest of industrial environments with its high strength alloy steel construction. Hardened and chromed piston ensures superior product life by reducing wear and corrosion. Eagle Pro ES series is not only durable, it gets the job done! Heavy-duty, straight pull return springs provide fast retraction. For greater flexibility and easy mounting, the ES series comes with collar, multiple piston threads, and base mounting holes. Hardened and E-coated snap-in type saddle prevents piston jamming and mushrooming, practically eliminating downtime. The female coupler comes with a dust cover - preventing dirt and debris from entering the hydraulic system. The Eagle Pro ES series also complies with ASME B30.1 standard.



EDH SERIES

Double Acting Hydraulic

The Eagle Pro EDH series incorporates a hollow piston design that allows both pushing and pulling forces. The construction of high strength alloy steel maximizes durability. The EDH series' double acting operation ensures fast and controlled piston reaction time. Accidental over-pressurization is prevented with a built-in safety valve. The collar, piston threads, and base mounting holes enable easy fixturing.



ED SERIES

Double Acting General Purpose

The Eagle Pro ED series produces fast and controlled piston contraction thanks to the double acting operation. A built-in safety valve prevents accidental-over pressurization. Most models include collar, piston threads, and base mounting holes to make fixturing a simple task. Piston jamming and mushrooming is prevented by the cylinder's hardened, and E-coated snap-in saddle. The ED series enhances durability with a hardened and chromed piston that reduces wear and corrosion. ED series cylinders are easy to move around the job site with the addition of carrying handles (and eyebolts on larger models) that ease positioning and carrying. A durable, anti-corrosive finish is added using an environmentally friendly coating process.



EDX SERIES

Double Acting High Tonnage

Eagle Pro EDX series maximizes durability with the use of a high strength alloy steel. The built-in safety valve prevents accidental over-pressurization. The EDX is easy to carry and position with the included eyebolts. Optional tilt saddles are also available. The hardened and chromed piston minimizes wear and corrosion damage. The incorporation of base mounting holes enables easy fixturing. An environmentally friendly coating process provides a highly durable finish.



EL SERIES

Single Acting With Locking Collars

The Eagle Pro EL series includes an alloy steel lock nut for mechanical load holding. The EL series is constructed of a high strength alloy steel to maximize durability. The hardened chrome piston reduces damage caused from wear and corrosion. The over flow port functions as a stroke limiter. The EL series includes hardened grooved replaceable saddles. Composite bearings prevent metal-to-metal contact. Quick reaction times are obtained through with heavy-duty straight pull return springs. An environmentally friendly coating process produces a finish that further increases durability.



ESL SERIES

Low Profile And Pancake Style

Featuring a low-profile, or flat design, the Eagle Pro ESL series cylinder is an optimal choice for confined spaces. The hardened and chromed piston is constructed of high strength alloy steel that increases durability by reducing wear and corrosion. The grooved piston end does not require a saddle and the inclusion of mounting holes permits easy fixturing. Retraction time is quick thanks to the heavy duty, straight pull return springs. An environmentally friendly coating process is used to provide the durable anti-corrosion finish.



ESH SERIES

Single Acting Hollow Piston

The Eagle Pro ESH Series allows for both pushing and pulling by incorporating a hollow piston design. The heavy-duty return spring provides notoriously quick reaction times. Easy fixturing with the inclusion of collar threads.



EPA SERIES

Dual Speed Hand Pumps

The Eagle Pro EPA series hydraulic hand pumps are some of the most durable, powerful & reliable hand pumps in the industry today. The EPA series feature valve blocks that are machined from a single piece of high strength aircraft grade aluminum and high capacity reservoirs made from alloy steel* that maximizes durability. The EPA series hand pumps are compact and easy to carry around the job site. To get the job done faster, these powerful dual speed pumps offer some of the best flow rates in the industry. All of the EPA series hydraulic hand pumps feature an internal safety valve to prevent system damage.



EAGLE PRO

HYDRAULICS



Model	Description	Cylinder Capacity @ 10,000PSI (700 BAR)	Stroke	Cylinder Effective Area	Oil Capacity	Collapsed Height	Extended Height	Price ex GST	Price inc GST
		Metric Kg	MM	CM ²	CM ³	A	B		
						MM	MM		
ES-50	SINGLE ACTING RAM	5,000	16	7.1	11.4	42	58	\$399.00	\$438.90
ES-51	SINGLE ACTING RAM	5,000	25	7.1	17.8	110	135	\$489.00	\$537.90
ES-55	SINGLE ACTING RAM	5,000	127	7.1	90.2	215	342	\$619.00	\$680.90
ESL-50	SINGLE ACTING RAM PANCAKE STYLE	5,000	6	7.1	4	33	39	\$389.00	\$427.90
ES-1010	SINGLE ACTING RAM	10,000	257	14.5	372.65	349	606	\$799.00	\$878.90
ES-102	SINGLE ACTING RAM	10,000	54	14.5	78.3	121	175	\$489.00	\$537.90
ES-104	SINGLE ACTING RAM	10,000	105	14.5	152.25	171	276	\$699.00	\$768.90
ES-106	SINGLE ACTING RAM	10,000	156	14.5	226.2	247	403	\$799.00	\$878.90
ESL-100	SINGLE ACTING RAM PANCAKE STYLE	10,000	10	14.5	15	42	53	\$569.00	\$625.90
ESL-101	SINGLE ACTING RAM PANCAKE STYLE	10,000	38	14.4	55	88	126	\$599.00	\$658.90
ESH-121	SINGLE ACTING RAM HOLLOW PISTON	13,000	42	18.4	77.3	120	162	\$969.00	\$1065.90
ES-1510	SINGLE ACTING RAM	15,000	254	21.2	538.48	373	627	\$1099.00	\$1208.90
ES-1514	SINGLE ACTING RAM	15,000	356	21.2	754.72	474	830	\$1199.00	\$1318.90
ES-152	SINGLE ACTING RAM	15,000	51	21.2	108.12	149	200	\$759.00	\$834.90
ES-154	SINGLE ACTING RAM	15,000	101	21.2	214.12	200	301	\$929.00	\$1021.90
ESH-206	SINGLE ACTING RAM HOLLOW PISTON	20,000	49	32.8	161	162	211	\$1749.00	\$1923.90
ESL-200	SINGLE ACTING RAM PANCAKE STYLE	20,000	11	28.3	31	51	62	\$699.00	\$768.90
ESL-201	SINGLE ACTING RAM PANCAKE STYLE	20,000	45	28.3	127	98	143	\$769.00	\$845.90
ES-251	SINGLE ACTING RAM	25,000	26	33.2	86.32	139	165	\$999.00	\$1098.90
ES-252	SINGLE ACTING RAM	25,000	50	33.2	166	165	215	\$1079.00	\$1186.90
ES-254	SINGLE ACTING RAM	25,000	102	33.2	338.64	215	317	\$1179.00	\$1296.90
ES-256	SINGLE ACTING RAM	25,000	158	33.2	524.56	273	431	\$1349.00	\$1483.90
ESH-302	SINGLE ACTING RAM HOLLOW PISTON	30,000	64	48	307	179	242	\$1888.00	\$2076.80
ESH-306	SINGLE ACTING RAM HOLLOW PISTON	30,000	156	48	744	330	485	\$2599.00	\$2858.90
ESL-300	SINGLE ACTING RAM PANCAKE STYLE	30,000	13	41.8	54	58.5	71	\$1055.00	\$1160.50
ESL-302	SINGLE ACTING RAM PANCAKE STYLE	30,000	62	41.8	259	117	179	\$979.00	\$1076.90
EL-506	SINGLE ACTING RAM LOCKING COLLAR	50,000	150	70.8	1062	264	414	\$1929.00	\$2121.90
ES-502	SINGLE ACTING RAM	50,000	51	70.9	361.59	176	227	\$1229.00	\$1351.90
ES-506	SINGLE ACTING RAM	50,000	159	70.9	1127.31	282	441	\$1699.00	\$1868.90
ESL-500	SINGLE ACTING RAM PANCAKE STYLE	50,000	16	63.6	102	67	83	\$979.00	\$1076.90
ESL-502	SINGLE ACTING RAM PANCAKE STYLE	50,000	60	63.6	382	122	182	\$1199.00	\$1318.90
ESH-603	SINGLE ACTING RAM HOLLOW PISTON	60,000	76	87.4	664	247	322	\$3199.00	\$3518.90
EL-1002	SINGLE ACTING RAM LOCKING COLLAR	100,000	50	132.7	663.5	187	237	\$2399.00	\$2638.90

ENTIRE EAGLE PRO RANGE IS AVAILABLE FOR SPECIAL ORDER

Model	Description	Cylinder Capacity @ 10,000PSI (700 BAR)	Stroke	Max. Cylinder Capacity		Cylinder Effective Area		Oil Capacity		Price ex GST	Price inc GST
				Advance	Retract	Advance	Retract	Advance	Retract		
		Metric Kg	MM	METRIC TON	METRIC TON	CM ²	CM ²	CM ³	CM ³		
EDX-506	DOUBLE ACTING RAM	50,000	150	53	26	75.4	36.9	1,131	1,131	\$1799.00	\$1978.90
EDX-1006T	DOUBLE ACTING RAM	100,000	150	93	43	132.7	61.9	1,991	928	\$2549.00	\$2803.90
EDH-307	DOUBLE ACTING RAM HOLLOW PISTON	30,000	178	33	22	47.7	32.4	849	577	\$2249.00	\$2473.90
EDH-603	DOUBLE ACTING RAM HOLLOW PISTON	60,000	89	60	39	87.4	56.2	778	481	\$2549.00	\$2803.90
EDH-606	DOUBLE ACTING RAM HOLLOW PISTON	60,000	166	60	39	87.4	56.2	1451	891	\$3199.00	\$3518.90
ED-1012	DOUBLE ACTING RAM	10,000	305	10	3	14.5	4.9	443	149.5	\$1799.00	\$1978.90

Model	Description	Cylinder Type	Speed	Usable Oil Volume	Pressure Rating		Oil Displacement Per Stroke		Handle Force	Price ex GST	Price inc GST
					1st Stage	2nd stage	1st Stage	2nd Stage			
				CM ³	BAR	BAR	CM ³	CM ³	KG		
EPA-10921A	HAND PUMP, S/A, TWO SPEED, 55 IN3	SINGLE ACTING	TWO	750	25	700	33	3.3	49	\$699.00	\$768.90
EPA-12321A	HAND PUMP, S/A, TWO SPEED, 140 IN3	SINGLE ACTING	TWO	2300	25	700	33	3.3	49	\$1019.00	\$1120.90
EPA-12322A	HAND PUMP, D/A, TWO SPEED, 140 IN3	DOUBLE ACTING	TWO	2300	25	700	33	3.3	49	\$1349.00	\$1483.90

Model	Description	Internal Diameter	Length	Hose Material	Working Pressure	Burst Pressure	Hose End Configuration		Price ex GST	Price inc GST
							MM	MM		
EH-8206F	1/4" IDX6' RBR HYDHOSE 3/8" NPT EAB-201B	6	1800	-	10,000	20,000	3/8" NPT	3/8" NPT	\$199.00	\$218.90

Model	Description	Max. Pressure	Type	Thread	Female Coupler	Male Coupler	Price ex GST	Price inc GST
EAB-201	3/8" MALE/FEMALE HIGH FLOW QUICK	10,000	HIGH FLOW	3/8" - 18NPT	EAB-201A	EAB-201B	\$85.00	\$93.50

Model	Description	Pressure Range		Thread	Gauge Diameter	Price ex GST	Price inc GST
		PSI	MPa				
EG-2510	2.5 IN. 15,000 PSI PRESSURE GAUGE	0 - 15,000	0 - 100	1/4" - NPT	2.5	\$239.00	\$262.90

Model	Description	Male Coupler Thread	Female Coupler Thread	Gauge Port Thread	Price ex GST	Price inc GST
		IN/D	IN/E	IN/C		
EGA-005	GAUGE ADAPTOR	3/8" - NPT	3/8" - NPT	1/4" - NPT	\$89.00	\$97.90

Model	Description	Cylinder Capacity @ 10,000 PSI (700 BAR)	Oil Capacity	Tip Clearance	Maximum Spread Distance	Cylinder Effective Area	Weight	Price ex GST	Price inc GST
		US TON							
EFS-14	14 TON HYDRAULIC SPREADER	14	78.33	6.09	81.02	14.51	7.17	\$2389.00	\$2627.90



Portable Evaporative Cooler 750W

1029T **TRADEQUIP**
The trusted brand in equipment

240V/50Hz/750W 3 speed motor
Max. air flow: 23,000 m³ per hour
Water consumption: 20-35 litres per hour
Effective cooling area: 200-260sqm
Cooling area: 200-260m²
Water tank capacity: 200 Litres
1800H x 1600W x 780Dmm
Weight: 128kg

MADE FOR THE TRADE

UPGRADED 5 BLADE DESIGN INCREASING AIR VELOCITY



Nylon Castors for easy portability



Remote Control Timer Panel

TRADEQUIP EVAPORATIVE COOLERS FEATURES & BENEFITS

Moulded polyethylene housing will not crack and is rust & leak proof. Environmentally-friendly alternative to traditional reverse cycle A/C. Cools without chemicals or refrigerants. Long-term dependability. Near maintenance free operation. Cools where traditional cooling methods are impractical or cost-prohibitive. Remote control speed adjustment. Direct drive. LCD 24 hour timer panel. Easy to read water level sight tube gauge. Dual pour in refill water inlet and/or 3/4" hose fitting for automatic tap refill. Adjustable water flow & drain valve. Nylon castors for easy portability.

\$4,999.00 EXC GST
\$5,498.90 INC GST



*Freight Rates May Apply

Portable Evaporative Cooler 550W

1027T **TRADEQUIP**
The trusted brand in equipment

240V/50Hz/550W 3 speed motor
Max. air flow: 18,000 m³ per hour
Effective cooling area: 100-150sqm
Water consumption: 12-18 litres per hour
Water tank capacity: 100 Litres
1510H x 1120W x 680Dmm
Weight: 58kg

MADE FOR THE TRADE

Portable Evaporative Cooler 750W

1035T **TRADEQUIP**
The trusted brand in equipment

240V/50Hz/750W 3 speed motor
Max. air flow: 23,000 m³ per hour
Effective cooling area: 150-200sqm
Water consumption: 12-18 litres per hour
Water tank capacity: 130 Litres
1730H x 1120W x 680Dmm
Weight: 63kg

MADE FOR THE TRADE

Synchronous Swing Function



Remote Control Timer Panel



\$1,349.00 EXC GST
\$1,483.90 INC GST

*Freight Rates May Apply

Synchronous Swing Function



Remote Control Timer Panel



\$1,799.00 EXC GST
\$1,978.90 INC GST

*Freight Rates May Apply

Cooler Cover

1035T-CO **TRADEQUIP**
The trusted brand in equipment

Water-resistant fabric
Lightweight and breathable
UV treated and Easy to use
To protect 1027T, 1028T and 1035T TradeQuip Portable Evaporative Coolers when not in use.

MADE FOR THE TRADE
\$99.00 EXC GST
\$108.90 INC GST



Portable Industrial Spot Cooling Air Conditioners

Code	1031T	1032T	1033T
Power Unit	240V 50Hz	240V 50Hz	240V 50Hz
Rated Power	950W	2000W	3000W
Mains Plug	10 Amp	15 Amp	15 Amp
Cooling Capacity	2.7KW/9200Btu	4.5KW/15300Btu	6.5KW/22200Btu
Max. Air Flow	400m3 p/hr	800m3 p/hr	1200m3 p/hr
Noise Level	55dB(A)	60dB(A)	65dB(A)
Operating Temp.	18° - 45° C	18° - 45° C	18° - 45° C
Suction Pressure	2.5Mpa (Max.)	2.5Mpa (Max.)	2.5Mpa (Max.)
Discharge Pressure	4.5Mpa (Max.)	4.5Mpa (Max.)	4.5Mpa (Max.)
Dimensions	855Hx430Wx405D	1035Hx520Wx480D	1245Hx640Wx560D
Excl. GST	\$1499	\$2749	\$3999
Incl. GST	\$1648.90	\$3023.90	\$4398.90

TRADEQUIP INDUSTRIAL AIR CONDITIONERS FEATURES & BENEFITS

Compact yet powerful. Wide operating range of 18° - 45°C.
 Single duct system for easy installation. Capillary tube construction for simplicity.
 5 Litre self-contained condensation tank for easy removal and emptying.
 Heavy duty compressor with automatic restart and short cycle protection.
 Motors and compressors have overload protection.
 Durable and long lasting steel construction.
 Heavy duty locking castors and handles for easy manoeuvrability.
 Easy to use plug in and place the hot air duct out of window/door or into false ceiling.

Industrial Cable Reel 15 Metre

1994T
10 Amp

Great
Accessory
Option



\$229.00 EXC GST
\$251.90 INC GST

MADE FOR THE TRADE

TradeQuip "Made for the Trade" Portable Air Conditioners offer a quick spot cooling solution with strong air flow and easy installation.


MADE FOR THE TRADE

from

\$1,499.00 EXC GST
\$1,648.90 INC GST



2.7KW



4.5KW

15AMP PLUG



6.5KW

15AMP PLUG

Portable Evaporative Cooler 150W

E11-0010

240V/50Hz/150W 3 speed motor
Max. air flow: 6,000 m³ per hour
Water consumption: 4-5 ltr p/hour
Effective cooling area: 45-55sqm
Water tank capacity: 45 Litres
1185H x 650W x 430Dmm
Weight: 17kg

150
WATTS OF
POWER

eQuipt
TOOLS & EQUIPMENT
Designed to DELIVER

\$649.00 EXC GST
\$713.90 INC GST



Portable Evaporative Cooler 200W

E11-0020

240V/50Hz/200W 3 speed motor
Max. air flow: 9,000 m³ per hour
Water consumption: 5-6 ltr p/hour
Effective cooling area: 60-70sqm
Water tank capacity: 70 Litres
1360H x 820W x 545Dmm
Weight: 35kg

200
WATTS OF
POWER

eQuipt
TOOLS & EQUIPMENT
Designed to DELIVER

\$949.00 EXC GST
\$1,043.90 INC GST



FEATURES

These eQuipt Portable Evaporative Cooling units are specifically designed for smaller workspaces, offering an impressive air flow capacity. These user-friendly units feature a robust, weather resistant molded polyethylene housing that is both crack- and leak-resistant. Equipped with a three-speed fan, these coolers efficiently circulate warm air over rigid, water saturated evaporative cooling media, resulting in a notable reduction in ambient temperatures of up to 10°C. The adjustable swing louvre feature allows for customizable directional air flow.

Portable Evaporative Cooler 450W

E11-0030

240V/50Hz/450W 3 speed motor
Max. air flow: 12,000 m³ per hour
Water consumption: 8-10 ltr p/hour
Effective cooling area: 70-90sqm
Water tank capacity: 60 Litres
1430H x 900W x 560Dmm
Weight: 45kg

450
WATTS OF
POWER

eQuipt
TOOLS & EQUIPMENT
Designed to DELIVER

\$1049.00 EXC GST
\$1,153.90 INC GST



Industrial Pedestal Misting Fan 650mm

1182T **TRADEQUIP**
The trusted brand in equipment

240V/50Hz/230W 3 speed motor
90° Oscillation
Water shortage protection.
Drop the temperature: 2-8°C
Adjustable mist-Exit Vol: 0-16KG/Hr
Effective spray distance: 8-10mtr
Suitable for cooling people, stockbreeding or greenhouse applications.

230
Watts

\$649.00 EXC GST
\$713.90 INC GST

MADE FOR THE TRADE



FEATURES

Great for workshops and factory floor areas. Adjustable height to 1.8m and 3 speed operation. Large water storage tank & integrated water reservoir. No mess drip water collector. Heavy duty base for safety and stability. Low pressure water pump for reliability and longevity. Automatic shut-off when water tank is empty.

FIND OUT MORE ABOUT TQB BRANDS LATEST OFFERING HERE....



Industrial Ventilation Fans

TRADEQUIP
The trusted brand in equipment

Code	1025	1056	1141T
Fan Diameter	300mm	400mm	450mm
Voltage	240V 50Hz	240V 50Hz	240V 50Hz
Power	520W	1100W	1700W
Speed	2800rpm	2800rpm	2800rpm
Noise Level	92db2 (A)	92db2 (A)	92db2 (A)
Air Delivery	60m3per minute	96m3per minute	162m3per minute
Static Pressure	343Pa	700Pa	972Pa
Excl. GST	\$295	\$735	\$869
Incl. GST	\$324.50	\$808.50	\$955.90

FEATURES

These TradeQuip "Made for the Trade" Industrial Ventilator Fans air out rooms, circulate air or dry wet areas with a powerful air output of 60m³ per minute. Features include an ergonomic handle for effortless transport and an aluminium blade with steel housing construction for long lasting durable performance. Complete with 5 metre flexible ducting.

WARNING: NOT INTENDED FOR DUST EXTRACTION

from

\$295.00 EXC GST
\$324.50 INC GST

MULTI-BLADE ALLOY FANS



MADE FOR THE TRADE

Also available separately
5m Flexible Ducting 300, 400 & 450mm diam.
10m Flexible Ducting 300mm diameter only

PRODUCT SUPPORT

Go to our TQB Brands Website for extensive product support & regular information updates.

For a comprehensive guide to your TQB Brands product Maintenance, Setup and Demonstration



YouTube
Scan code to go to TQB Brands Youtube Channel

AIR/HYDRAULIC BOTTLE JACK BLEED PROCEDURE



A Step by Step Guide To Bleeding TQB Brands Series Air/Hydraulic Bottle Jacks. **3:17**

Air/Hydraulic Bottle Jack Bleeding Video

12K views • 1 year ago



Hydraulic Bottle Jack Bleeding Video

17K views • 1 year ago



TradeQuip Diesel/Kerosene Workshop Heaters

5K views • 3 years ago



TradeQuip 2020 Evaporative Cooler Range

2.7K views • 1 year ago

TROUBLESHOOTING DOCUMENTS

- DRILLING MACHINES (0)
- ENGINE STANDS & SUPPORTS (0)
- FANS, COOLERS, HEATERS & AIRCON (6)
- GARAGE JACKS (25)
- MOTORCYCLE LIFTERS (0)
- OIL DRAINERS & PUMPS (0)
- PARTS WASHERS (2)
- PORTA POWERS & PANEL REPAIR (1)
- PRESSES & PIPE BENDERS (17)
- STANDS, RAMPS & DOLLIES (1)
- TRANSMISSION JACKS (17)
- TROLLEYS & CREEPERS (0)
- WHEEL & SUSPENSION TOOLS (0)



Scan code to go to TQB Brands Troubleshooting Documents

TOP TIPS

Product Information



Scan code to go to our Top Tips guides and learn how to extend the life of your TQB Brands equipment

Visit our webpage www.tqbbrands.com.au for instructional & pre-start videos.



Workshop Heater 30kW

1096T **TRADEQUIP**
The trusted brand in equipment

Power output: 30kW - 102,360 Btu/h
Motor: 240V/50Hz 10A 230W
Air delivery: 720 cubic metres per hour
Noise level: 76dB(A)
Fuel consumption: 2.4kg/hr
Tank capacity: 38 Litres
Dimensions: 880 x 456 x 590mm
Weight: 21kg

MADE FOR THE TRADE

SEASONAL LINE



RUNS UP TO 9 HOURS ON A SINGLE FILL

FEATURES

Burns diesel or kerosene. Built in oil burner.
Electronic flame control system.
Safety overheat thermostat and pressure switch.
Stainless steel heat exchanger.
Double skinned combustion chamber for thermo-acoustic insulation and safe low surface temperature.
Preheated oil filter. Twist lock fuel cap with cable.
Pre-purge and post-ventilation cycles.



\$749.00 EXC GST

\$823.90 INC GST



Workshop Heater 50kW

1097T **TRADEQUIP**
The trusted brand in equipment

Power output: 50kW - 170,600 Btu/h
Motor: 240V/50Hz 10A 340W
Air delivery: 1100 cubic metres per hour
Noise level: 77dB(A)
Fuel consumption: 4kg per hour
Tank capacity: 56 Litres
Dimensions: 1090 x 490 x 585mm
Weight: 27kg

MADE FOR THE TRADE



RUNS UP TO 9 HOURS ON A SINGLE FILL

FEATURES

Burns diesel or kerosene. Built in oil burner.
Electronic flame control system.
Safety overheat thermostat and pressure switch.
Stainless steel heat exchanger.
Double skinned combustion chamber for thermo-acoustic insulation and safe low surface temperature.
Preheated oil filter. Twist lock fuel cap with cable.
Pre-purge and post-ventilation cycles.

SEASONAL LINE

\$849.00 EXC GST

\$933.90 INC GST